

I. AMENDMENT

A. In the claims

Please amend the claims as set out below:

1. (Currently amended) ~~A method of communicating via an Internet network, the method including:~~

~~connecting a plurality of computers to a computer system, each of the plurality of computers connected to a respective input device and to a respective output device, said connecting responsive to receiving, from each of the computers, a password and a login name corresponding to a user identity, each said user identity corresponding to a respective particular user's stored access rights;~~

~~determining whether a first of the user identities and a second of the user identities are able to form a group for sending and for receiving communications in real time;~~

~~determining whether at least one of the first user identity and the second user identity, individually, is censored by the corresponding user's stored access rights from data in the communications representing at least one of a pointer, video, audio, a graphic, or multimedia; and~~

~~_____ if the first and the second user identities are able to form the group, forming the group for sending the communications so as to facilitate receiving the communications that are not censored, wherein the receiving is in real time and via the Internet network, and to facilitate not presenting the data that is censored to the corresponding output device~~ A method of communicating via an Internet network by using a computer system including a controller computer and a database which serves as a repository of tokens for other programs to access, thereby affording information to each of a plurality of participator computers which are otherwise independent of each other, the method including:

_____ affording some of the information to a first of the participator computers via the Internet

network, responsive to an authenticated first user identity; and
affording some of the information to a second of the participator computers via the
Internet network, responsive to an authenticated second user identity; and
determining whether the first user identity and the second user identity are able to form
a group to send and to receive communications; and
determining whether the first user identity is censored from receiving data in the
communications, the data presenting at least one of a pointer, video, audio, a graphic, or
multimedia; and
if the user identities are able to form the group, forming the group and facilitating
receiving the communications that are sent and not censored from the second participator
computer to the first participator computer, wherein the receiving is in real time and via the
Internet network, and
if the first user identity is censored from the receiving of the data, not allowing the data
that is censored to be presented from the second participator computer to an output device of
the first participator computer.

2. (Currently amended) The method of claim 1, wherein the determining whether ~~at least one of the first user identity and the second user identity, individually, the first user identity~~ is censored from data includes determining ~~that whether at least one of the first user identity and the second user identity, individually, the first user identity~~ is censored from the data ~~[[re]]presenting [[a]] the pointer.~~

3. (Currently amended) The method of claim 1, wherein the determining whether ~~at least one of the first user identity and the second user identity, individually, the first user identity~~ is censored from data includes determining ~~that whether at least one of the first~~

~~user identity and the second user identity, individually, the first user identity~~ is censored from the data ~~[[re]]~~presenting ~~the~~ video.

4. (Currently amended) The method of claim 1, wherein the determining whether ~~at least one of the first user identity and the second user identity, individually, the first user identity~~ is censored from data includes determining ~~that~~whether at least one of the first ~~user identity and the second user identity, individually, the first user identity~~ is censored from the data ~~[[re]]~~presenting ~~the~~ audio.

5. (Currently amended) The method of claim 1, wherein the determining whether ~~at least one of the first user identity and the second user identity, individually, the first user identity~~ is censored from data includes determining ~~that~~whether at least one of the first ~~user identity and the second user identity, individually, the first user identity~~ is censored from the data ~~[[re]]~~presenting ~~the~~ ~~[[a]]~~ graphic.

6. (Currently amended) The method of claim 1, wherein the determining whether ~~at least one of the first user identity and the second user identity, individually, the first user identity~~ is censored from data includes determining ~~that~~whether at least one of the first ~~user identity and the second user identity, individually, the first user identity~~ is censored from the data ~~[[re]]~~presenting ~~the~~ multimedia.

7. (Currently amended) The method of claim 1, wherein the determining whether ~~at least one of the first user identity and the second user identity, individually, the first user identity~~ is censored from data includes determining ~~that~~whether at least one of the first ~~user identity and the second user identity, individually, the first user identity~~ is censored from

the data [[re]]presenting the [[a]] pointer and the video.

8. (Currently amended) The method of claim 1, wherein the determining whether ~~at least one of the first user identity and the second user identity, individually,~~ the first user identity is censored from data includes determining ~~that whether at least one of the first user identity and the second user identity, individually,~~ the first user identity is censored from the data [[re]]presenting the [[a]] pointer and the audio.

9. (Currently amended) The method of claim 1, wherein the determining whether ~~at least one of the first user identity and the second user identity, individually,~~ the first user identity is censored from data includes determining ~~that whether at least one of the first user identity and the second user identity, individually,~~ the first user identity is censored from the data [[re]]presenting the [[a]] pointer and the [[a]] graphic.

10. (Currently amended) The method of claim 1, wherein the determining whether ~~at least one of the first user identity and the second user identity, individually,~~ the first user identity is censored from data includes determining ~~that whether at least one of the first user identity and the second user identity, individually,~~ the first user identity is censored from the data [[re]]presenting the video and the audio.

11. (Currently amended) The method of claim 1, wherein the determining whether ~~at least one of the first user identity and the second user identity, individually,~~ the first user identity is censored from data includes determining ~~that whether at least one of the first user identity and the second user identity, individually,~~ the first user identity is censored from the data [[re]]presenting the video and the [[a]] graphic.

12. (Currently amended) The method of claim 1, wherein the determining whether ~~at least one of the first user identity and the second user identity, individually,~~ the first user identity is censored from data includes determining ~~that whether at least one of the first user identity and the second user identity, individually,~~ the first user identity is censored from the data ~~[[re]]~~presenting the audio and the ~~[[a]]~~ graphic.

13. (Currently amended) The method of claim 1, wherein the determining whether ~~at least one of the first user identity and the second user identity, individually,~~ the first user identity is censored from data includes determining ~~that whether at least one of the first user identity and the second user identity, individually,~~ the first user identity is censored from the data ~~[[re]]~~presenting the ~~[[a]]~~ pointer and the video and the audio.

14. (Currently amended) The method of claim 1, wherein the determining whether ~~at least one of the first user identity and the second user identity, individually,~~ the first user identity is censored from data includes determining ~~that whether at least one of the first user identity and the second user identity, individually,~~ the first user identity is censored from the data ~~[[re]]~~presenting the ~~[[a]]~~ pointer and the video and the ~~[[a]]~~ graphic.

15. (Currently amended) The method of claim 1, wherein the determining whether ~~at least one of the first user identity and the second user identity, individually,~~ the first user identity is censored from data includes determining ~~that whether at least one of the first user identity and the second user identity, individually,~~ the first user identity is censored from the data ~~[[re]]~~presenting the a pointer and the audio and ~~[[a]]~~ the graphic.

16. (Currently amended) The method of claim 1, wherein the determining

~~whether at least one of the first user identity and the second user identity, individually, the first user identity~~ is censored from data includes determining ~~that whether at least one of the first user identity and the second user identity, individually, the first user identity~~ is censored from the data ~~[[re]]~~presenting ~~the~~ video and ~~the~~ audio and ~~the~~ ~~[[a]]~~ graphic.

17. (Currently amended) The method of claim 1, wherein the determining ~~whether at least one of the first user identity and the second user identity, individually, the first user identity~~ is censored from data includes determining ~~that whether at least one of the first user identity and the second user identity, individually, the first user identity~~ is censored from the data ~~[[re]]~~presenting ~~the~~ ~~[[a]]~~ pointer and ~~the~~ video and ~~the~~ audio and ~~the~~ ~~[[a]]~~ graphic.

18. (Currently amended) The method of claim 1, wherein the facilitating receiving the communications that are sent from the second participator computer to the first participator computer includes facilitating receiving communications that include an Internet URL, and further including handling the Internet URL via the controller computer system so as to find content specified to by the Internet URL, and facilitating presenting the content at the output device ~~wherein at least some of the communications include at least one of text or ascii.~~

19. (Currently amended) The method of claim 2, wherein the facilitating receiving the communications that are sent from the second participator computer to the first participator computer includes facilitating receiving communications that include an Internet URL, and further including handling the Internet URL via the controller computer system so as to find content specified by the Internet URL, and facilitating presenting the content at the output device ~~wherein at least some of the communications include at least one of text or ascii.~~

20. (Currently amended) The method of claim 3, wherein the facilitating receiving the communications that are sent from the second participator computer to the first participator computer includes facilitating receiving communications that include an Internet URL, and further including handling the URL via the controller computer system so as to find content specified by the URL, and facilitating presenting the content at the output device ~~wherein at least some of the communications include at least one of text or ascii.~~

21. (Currently amended) The method of claim 4, wherein the facilitating receiving the communications that are sent from the second participator computer to the first participator computer includes facilitating receiving communications that include an Internet URL, and further including handling the Internet URL via the controller computer system so as to find content specified by the Internet URL, and facilitating presenting the content at the output device ~~wherein at least some of the communications include at least one of text or ascii.~~

22. (Currently amended) The method of claim 5, wherein the facilitating receiving the communications that are sent from the second participator computer to the first participator computer includes facilitating receiving communications that include an Internet URL, and further including handling the Internet URL via the controller computer system so as to find content specified by the Internet URL, and facilitating presenting the content at the output device ~~wherein at least some of the communications include at least one of text or ascii.~~

23. (Currently amended) The method of claim 6, wherein the facilitating receiving the communications that are sent from the second participator computer to the first participator computer includes facilitating receiving communications that include an Internet URL, and further including handling the Internet URL via the controller computer system so as

to find content specified by the Internet URL, and facilitating presenting the content at the output device ~~wherein at least some of the communications include at least one of text or ascii.~~

24. (Currently amended) The method of claim 7, wherein the facilitating receiving the communications that are sent from the second participator computer to the first participator computer includes facilitating receiving communications that include an Internet URL, and further including handling the Internet URL via the controller computer system so as to find content specified by the Internet URL, and facilitating presenting the content at the output device ~~wherein at least some of the communications include at least one of text or ascii.~~

25. (Currently amended) The method of claim 8, wherein the facilitating receiving the communications that are sent from the second participator computer to the first participator computer includes facilitating receiving communications that include an Internet URL, and further including handling the Internet URL via the controller computer system so as to find content specified by the Internet URL, and facilitating presenting the content at the output device ~~wherein at least some of the communications include at least one of text or ascii.~~

26. (Currently amended) The method of claim 9, wherein the facilitating receiving the communications that are sent from the second participator computer to the first participator computer includes facilitating receiving communications that include an Internet URL, and further including handling the Internet URL via the controller computer system so as to find content specified by the Internet URL, and facilitating presenting the content at the output device ~~wherein at least some of the communications include at least one of text or ascii.~~

27. (Currently amended) The method of claim 10, wherein the facilitating

receiving the communications that are sent from the second participator computer to the first participator computer includes facilitating receiving communications that include an Internet URL, and further including handling the Internet URL via the controller computer system so as to find content specified by the Internet URL, and facilitating presenting the content at the output device ~~wherein at least some of the communications include at least one of text or ascii.~~

28. (Currently amended) The method of claim 11, wherein the facilitating receiving the communications that are sent from the second participator computer to the first participator computer includes facilitating receiving communications that include an Internet URL, and further including handling the Internet URL via the controller computer system so as to find content specified by the Internet URL, and facilitating presenting the content at the output device ~~wherein at least some of the communications include at least one of text or ascii.~~

29. (Currently amended) The method of claim 12, wherein the facilitating receiving the communications that are sent from the second participator computer to the first participator computer includes facilitating receiving communications that include an Internet URL, and further including handling the Internet URL via the controller computer system so as to find content specified by the Internet URL, and facilitating presenting the content at the output device ~~wherein at least some of the communications include at least one of text or ascii.~~

30. (Currently amended) The method of claim 13, wherein the facilitating receiving the communications that are sent from the second participator computer to the first participator computer includes facilitating receiving communications that include an Internet URL, and further including handling the Internet URL via the controller computer system so as to find content specified by the Internet URL, and facilitating presenting the content at the

output device wherein at least some of the communications include at least one of text or ascii.

31. (Currently amended) The method of claim 14, wherein the facilitating receiving the communications that are sent from the second participator computer to the first participator computer includes facilitating receiving communications that include an Internet URL, and further including handling the Internet URL via the controller computer system so as to find content specified by the Internet URL, and facilitating presenting the content at the
output device wherein at least some of the communications include at least one of text or ascii.

32. (Currently amended) The method of claim 15, wherein the facilitating receiving the communications that are sent from the second participator computer to the first participator computer includes facilitating receiving communications that include an Internet URL, and further including handling the Internet URL via the controller computer system so as to find content specified by the Internet URL, and facilitating presenting the content at the
output device wherein at least some of the communications include at least one of text or ascii.

33. (Currently amended) The method of claim 16, wherein the facilitating receiving the communications that are sent from the second participator computer to the first participator computer includes facilitating receiving communications that include an Internet URL, and further including handling the Internet URL via the controller computer system so as to find content specified by the Internet URL, and facilitating presenting the content at the
output device wherein at least some of the communications include at least one of text or ascii.

34. (Currently amended) The method of claim 17, wherein the facilitating receiving the communications that are sent from the second participator computer to the first

participator computer includes facilitating receiving communications that include an Internet URL, and further including handling the Internet URL via the controller computer system so as to find content specified by the Internet URL, and facilitating presenting the content at the output device ~~wherein at least some of the communications include at least one of text or ascii.~~

35. (Currently amended) The method of claim 1, further including:

determining whether ~~at least one of the first~~ user identity ~~and the second user identities, individually,~~ is censored from sending in the communications data ~~[[re]]~~presenting at least one of a pointer, video, a graphic, or multimedia;

facilitating sending the communications that are not censored from the sending, from the first participator computer to the second participator computer, wherein the sending is in real time and via the Internet network; and

if the first user identity is censored from the sending, not allowing the data that is censored to be sent from the first participator computer to the second participator computer and sending the data that is not censored from sending.

36. (Currently amended) The method of claim 2, further including:

determining whether ~~at least one of the first~~ user identity ~~and the second user identities, individually,~~ is censored from sending in the communications data ~~[[re]]~~presenting at least one of a pointer, video, a graphic, or multimedia;

facilitating sending the communications that are not censored from the sending, from the first participator computer to the second participator computer, wherein the sending is in real time and via the Internet network; and

if the first user identity is censored from the sending, not allowing the data that is censored to be sent from the first participator computer to the second participator computer and

~~sending the data that is not censored from sending.~~

37. (Currently amended) The method of claim 3, further including:

determining whether ~~at least one of the first~~ user identity ~~and the second user identities, individually,~~ is censored from sending in the communications data ~~[[re]]~~presenting at least one of a pointer, video, a graphic, or multimedia;

facilitating sending the communications that are not censored from the sending, from the first participator computer to the second participator computer, wherein the sending is in real time and via the Internet network; and

if the first user identity is censored from the sending, not allowing the data that is censored to be sent from the first participator computer to the second participator computer and
~~sending the data that is not censored from sending.~~

38. (Currently amended) The method of claim 4, further including:

determining whether ~~at least one of the first~~ user identity ~~and the second user identities, individually,~~ is censored from sending in the communications data ~~[[re]]~~presenting at least one of a pointer, video, a graphic, or multimedia;

facilitating sending the communications that are not censored from the sending, from the first participator computer to the second participator computer, wherein the sending is in real time and via the Internet network; and

if the first user identity is censored from the sending, not allowing the data that is censored to be sent from the first participator computer to the second participator computer and
~~sending the data that is not censored from sending.~~

39. (Currently amended) The method of claim 5, further including:

determining whether ~~at least one of the first~~ user identity ~~and the second user identities, individually,~~ is censored from sending in the communications data ~~[[re]]~~presenting at least one of a pointer, video, a graphic, or multimedia;

facilitating sending the communications that are not censored from the sending, from the first participator computer to the second participator computer, wherein the sending is in real time and via the Internet network; and

if the first user identity is censored from the sending, not allowing the data that is censored to be sent from the first participator computer to the second participator computer and sending the data that is not censored from sending.

40. (Currently amended) The method of claim 6, further including:

determining whether ~~at least one of the first~~ user identity ~~and the second user identities, individually,~~ is censored from sending in the communications data ~~[[re]]~~presenting at least one of a pointer, video, a graphic, or multimedia;

facilitating sending the communications that are not censored from the sending, from the first participator computer to the second participator computer, wherein the sending is in real time and via the Internet network; and

if the first user identity is censored from the sending, not allowing the data that is censored to be sent from the first participator computer to the second participator computer and sending the data that is not censored from sending.

41. (Currently amended) The method of claim 7, further including:

determining whether ~~at least one of the first~~ user identity ~~and the second user identities, individually,~~ is censored from sending in the communications data ~~[[re]]~~presenting at least one of a pointer, video, a graphic, or multimedia;

facilitating sending the communications that are not censored from the sending,
from the first participator computer to the second participator computer, wherein the sending is
in real time and via the Internet network; and

if the first user identity is censored from the sending, not allowing the data that is
censored to be sent from the first participator computer to the second participator computer and
sending the data that is not censored from sending.

42. (Currently amended) The method of claim 8, further including:

determining whether ~~at least one of the first~~ user identity ~~and the second user~~
~~identities, individually,~~ is censored from sending in the communications data ~~[[re]]~~presenting at
least one of a pointer, video, a graphic, or multimedia;

facilitating sending the communications that are not censored from the sending,
from the first participator computer to the second participator computer, wherein the sending is
in real time and via the Internet network; and

if the first user identity is censored from the sending, not allowing the data that is
censored to be sent from the first participator computer to the second participator computer and
sending the data that is not censored from sending.

43. (Currently amended) The method of claim 9, further including:

determining whether ~~at least one of the first~~ user identity ~~and the second user~~
~~identities, individually,~~ is censored from sending in the communications data ~~[[re]]~~presenting at
least one of a pointer, video, a graphic, or multimedia;

facilitating sending the communications that are not censored from the sending,
from the first participator computer to the second participator computer, wherein the sending is
in real time and via the Internet network; and

if the first user identity is censored from the sending, not allowing the data that is censored to be sent from the first participator computer to the second participator computer and sending the data that is not censored from sending.

44. (Currently amended) The method of claim 10, further including:
determining whether ~~at least one of the first~~ user identity ~~and the second user identities, individually,~~ is censored from sending in the communications data ~~[[re]]~~presenting at least one of a pointer, video, a graphic, or multimedia;

facilitating sending the communications that are not censored from the sending, from the first participator computer to the second participator computer, wherein the sending is in real time and via the Internet network; and

if the first user identity is censored from the sending, not allowing the data that is censored to be sent from the first participator computer to the second participator computer and sending the data that is not censored from sending.

45. (Currently amended) The method of claim 11, further including:
determining whether ~~at least one of the first~~ user identity ~~and the second user identities, individually,~~ is censored from sending in the communications data ~~[[re]]~~presenting at least one of a pointer, video, a graphic, or multimedia;

facilitating sending the communications that are not censored from the sending, from the first participator computer to the second participator computer, wherein the sending is in real time and via the Internet network; and

if the first user identity is censored from the sending, not allowing the data that is censored to be sent from the first participator computer to the second participator computer and sending the data that is not censored from sending.

46. (Currently amended) The method of claim 12, further including:

determining whether ~~at least one of the first~~ user identity ~~and the second user identities, individually,~~ is censored from sending in the communications data ~~[[re]]~~presenting at least one of a pointer, video, a graphic, or multimedia;

facilitating sending the communications that are not censored from the sending, from the first participator computer to the second participator computer, wherein the sending is in real time and via the Internet network; and

if the first user identity is censored from the sending, not allowing the data that is censored to be sent from the first participator computer to the second participator computer and sending the data that is not censored from sending.

47. (Currently amended) The method of claim 13, further including:

determining whether ~~at least one of the first~~ user identity ~~and the second user identities, individually,~~ is censored from sending in the communications data ~~[[re]]~~presenting at least one of a pointer, video, a graphic, or multimedia;

facilitating sending the communications that are not censored from the sending, from the first participator computer to the second participator computer, wherein the sending is in real time and via the Internet network; and

if the first user identity is censored from the sending, not allowing the data that is censored to be sent from the first participator computer to the second participator computer and sending the data that is not censored from sending.

48. (Currently amended) The method of claim 14, further including:

determining whether ~~at least one of the first~~ user identity ~~and the second user identities, individually,~~ is censored from sending in the communications data ~~[[re]]~~presenting at

least one of a pointer, video, a graphic, or multimedia;

facilitating sending the communications that are not censored from the sending,
from the first participator computer to the second participator computer, wherein the sending is
in real time and via the Internet network; and

if the first user identity is censored from the sending, not allowing the data that is
censored to be sent from the first participator computer to the second participator computer and
sending the data that is not censored from sending.

49. (Currently amended) The method of claim 15, further including:

determining whether ~~at least one of the first~~ user identity ~~and the second user~~
~~identities, individually,~~ is censored from sending in the communications data ~~[[re]]~~presenting at
least one of a pointer, video, a graphic, or multimedia;

facilitating sending the communications that are not censored from the sending,
from the first participator computer to the second participator computer, wherein the sending is
in real time and via the Internet network; and

if the first user identity is censored from the sending, not allowing the data that is
censored to be sent from the first participator computer to the second participator computer and
sending the data that is not censored from sending.

50. (Currently amended) The method of claim 16, further including:

determining whether ~~at least one of the first~~ user identity ~~and the second user~~
~~identities, individually,~~ is censored from sending in the communications data ~~[[re]]~~presenting at
least one of a pointer, video, a graphic, or multimedia;

facilitating sending the communications that are not censored from the sending,
from the first participator computer to the second participator computer, wherein the sending is

in real time and via the Internet network; and

if the first user identity is censored from the sending, not allowing the data that is censored to be sent from the first participator computer to the second participator computer and sending the data that is not censored from sending.

51. (Currently amended) The method of claim 17, further including:

determining whether ~~at least one of the first user identity and the second user identities, individually,~~ is censored from sending in the communications data ~~[[re]]~~presenting at least one of a pointer, video, a graphic, or multimedia;

facilitating sending the communications that are not censored from the sending, from the first participator computer to the second participator computer, wherein the sending is in real time and via the Internet network; and

if the first user identity is censored from the sending, not allowing the data that is censored to be sent from the first participator computer to the second participator computer and sending the data that is not censored from sending.

52. (Previously presented) The method of claim 1, further including determining whether at least one of the communications is censored based on content.

53. (Previously presented) The method of claim 2, further including determining whether at least one of the communications is censored based on content.

54. (Previously presented) The method of claim 3, further including determining whether at least one of the communications is censored based on content.

55. (Previously presented) The method of claim 4, further including determining whether at least one of the communications is censored based on content.

56. (Previously presented) The method of claim 5, further including determining whether at least one of the communications is censored based on content.

57. (Previously presented) The method of claim 6, further including determining whether at least one of the communications is censored based on content.

58. (Previously presented) The method of claim 7, further including determining whether at least one of the communications is censored based on content.

59. (Previously presented) The method of claim 8, further including determining whether at least one of the communications is censored based on content.

60. (Previously presented) The method of claim 9, further including determining whether at least one of the communications is censored based on content.

61. (Previously presented) The method of claim 10, further including determining whether at least one of the communications is censored based on content.

62. (Previously presented) The method of claim 11, further including determining whether at least one of the communications is censored based on content.

63. (Previously presented) The method of claim 12, further including

determining whether at least one of the communications is censored based on content.

64. (Previously presented) The method of claim 13, further including determining whether at least one of the communications is censored based on content.

65. (Previously presented) The method of claim 14, further including determining whether at least one of the communications is censored based on content.

66. (Previously presented) The method of claim 15, further including determining whether at least one of the communications is censored based on content.

67. (Previously presented) The method of claim 16, further including determining whether at least one of the communications is censored based on content.

68. (Previously presented) The method of claim 17, further including determining whether at least one of the communications is censored based on content.

69. (Previously presented) The method of claim 52, further including determining a user age corresponding to each of the user identities.

70. (Previously presented) The method of claim 53, further including determining a user age corresponding to each of the user identities.

71. (Previously presented) The method of claim 54, further including determining a user age corresponding to each of the user identities.

72. (Previously presented) The method of claim 55, further including determining a user age corresponding to each of the user identities.

73. (Previously presented) The method of claim 56, further including determining a user age corresponding to each of the user identities.

74. (Previously presented) The method of claim 57, further including determining a user age corresponding to each of the user identities.

75. (Currently amended) The method of claim 1, wherein the determining whether ~~at least one of the first user identity and the second user identity, individually,~~ is censored ~~from data~~ includes determining whether a parameter corresponding to the first user identity has been determined by an other of the user identities.

76. (Currently amended) The method of claim 2, wherein the determining whether ~~at least one of the first user identity and the second user identity, individually,~~ is censored ~~from data~~ includes determining whether a parameter corresponding to the first user identity has been determined by an other of the user identities.

77. (Currently amended) The method of claim 3, wherein the determining whether ~~at least one of the first user identity and the second user identity, individually,~~ is censored ~~from data~~ includes determining whether a parameter corresponding to the first user identity has been determined by an other of the user identities.

78. (Currently amended) The method of claim 4, wherein the determining

whether ~~at least one of the first user identity and the second user identity, individually, is~~
censored from data includes determining whether a parameter corresponding to the first user
identity has been determined by an other of the user identities.

79. (Currently amended) The method of claim 5, wherein the determining
whether ~~at least one of the first user identity and the second user identity, individually, is~~
censored from data includes determining whether a parameter corresponding to the first user
identity has been determined by an other of the user identities.

80. (Currently amended) The method of claim 6, wherein the determining
whether ~~at least one of the first user identity and the second user identity, individually, is~~
censored from data includes determining whether a parameter corresponding to the first user
identity has been determined by an other of the user identities.

81. (Currently amended) The method of claim 7, wherein the determining
whether ~~at least one of the first user identity and the second user identity, individually, is~~
censored from data includes determining whether a parameter corresponding to the first user
identity has been determined by an other of the user identities.

82. (Currently amended) The method of claim 8, wherein the determining
whether ~~at least one of the first user identity and the second user identity, individually, is~~
censored from data includes determining whether a parameter corresponding to the first user
identity has been determined by an other of the user identities.

83. (Currently amended) The method of claim 9, wherein the determining

whether ~~at least one of the first user identity and the second user identity, individually,~~ is censored ~~from data~~ includes determining whether a parameter corresponding to the first user identity has been determined by an other of the user identities.

84. (Currently amended) The method of claim 10, wherein the determining whether ~~at least one of the first user identity and the second user identity, individually,~~ is censored ~~from data~~ includes determining whether a parameter corresponding to the first user identity has been determined by an other of the user identities.

85. (Currently amended) The method of claim 11, wherein the determining whether ~~at least one of the first user identity and the second user identity, individually,~~ is censored ~~from data~~ includes determining whether a parameter corresponding to the first user identity has been determined by an other of the user identities.

86. (Currently amended) The method of claim 1, wherein the determining whether the first ~~of the~~ user identity~~[[ies]]~~ and the second ~~of the~~ user identity~~[[ies]]~~ are able to form a group includes determining from access rights stored by user in the database that neither whether of the first ~~of the~~ user identities is censored.

87. (Currently amended) The method of claim 2, wherein the determining whether the first ~~of the~~ user identity~~[[ies]]~~ and the second ~~of the~~ user identity~~[[ies]]~~ are able to form a group includes determining from access rights stored by user in the database that neither whether of the first ~~of the~~ user identities is censored.

88. (Currently amended) The method of claim 3, wherein the determining

whether the first ~~of the~~ user identity~~ies~~ and the second ~~of the~~ user identity~~ies~~ are able to form a group includes determining from access rights stored by user in the database that neither whether of the first ~~of the~~ user identities is censored.

89. (Currently amended) The method of claim 4, wherein the determining whether the first ~~of the~~ user identity~~ies~~ and the second ~~of the~~ user identity~~ies~~ are able to form a group includes determining from access rights stored by user in the database that neither whether of the first ~~of the~~ user identities is censored.

90. (Currently amended) The method of claim 5, wherein the determining whether the first ~~of the~~ user identity~~ies~~ and the second ~~of the~~ user identity~~ies~~ are able to form a group includes determining from access rights stored by user in the database that neither whether of the first ~~of the~~ user identities is censored.

91. (Currently amended) The method of claim 6, wherein the determining whether the first ~~of the~~ user identity~~ies~~ and the second ~~of the~~ user identity~~ies~~ are able to form a group includes determining from access rights stored by user in the database that neither whether of the first ~~of the~~ user identities is censored.

92. (Currently amended) The method of claim 7, wherein the determining whether the first ~~of the~~ user identity~~ies~~ and the second ~~of the~~ user identity~~ies~~ are able to form a group includes determining from access rights stored by user in the database that neither whether of the first ~~of the~~ user identities is censored.

93. (Currently amended) The method of claim 8, wherein the determining

whether the first ~~of the~~ user identity~~ies~~ and the second ~~of the~~ user identity~~ies~~ are able to form a group includes determining from access rights stored by user in the database that neither whether of the first ~~of the~~ user identities is censored.

94. (Currently amended) The method of claim 9, wherein the determining whether the first ~~of the~~ user identity~~ies~~ and the second ~~of the~~ user identity~~ies~~ are able to form a group includes determining from access rights stored by user in the database that neither whether of the first ~~of the~~ user identities is censored.

95. (Currently amended) The method of claim 10, wherein the determining whether the first ~~of the~~ user identity~~ies~~ and the second ~~of the~~ user identity~~ies~~ are able to form a group includes determining from access rights stored by user in the database that neither whether of the first ~~of the~~ user identities is censored.

96. (Currently amended) The method of claim 11, wherein the determining whether the first ~~of the~~ user identity~~ies~~ and the second ~~of the~~ user identity~~ies~~ are able to form a group includes determining from access rights stored by user in the database that neither whether of the first ~~of the~~ user identities is censored.

97. (Currently amended) The method of claim 12, wherein the determining whether the first ~~of the~~ user identity~~ies~~ and the second ~~of the~~ user identity~~ies~~ are able to form a group includes determining from access rights stored by user in the database that neither whether of the first ~~of the~~ user identities is censored.

98. (Currently amended) The method of claim 13, wherein the determining

whether the first ~~of the~~ user identity~~[[ies]]~~ and the second ~~of the~~ user identity~~[[ies]]~~ are able to form a group includes determining from access rights stored by user in the database that neither ~~whether~~ of the first ~~of the~~ user identities is censored.

99. (Currently amended) The method of claim 14, wherein the determining whether the first ~~of the~~ user identity~~[[ies]]~~ and the second ~~of the~~ user identity~~[[ies]]~~ are able to form a group includes determining from access rights stored by user in the database that neither ~~whether~~ of the first ~~of the~~ user identities is censored.

100. (Currently amended) The method of claim 15, wherein the determining whether the first ~~of the~~ user identity~~[[ies]]~~ and the second ~~of the~~ user identity~~[[ies]]~~ are able to form a group includes determining from access rights stored by user in the database that neither ~~whether~~ of the first ~~of the~~ user identities is censored.

101. (Currently amended) The method of claim 16, wherein the determining whether the first ~~of the~~ user identity~~[[ies]]~~ and the second ~~of the~~ user identity~~[[ies]]~~ are able to form a group includes determining from access rights stored by user in the database that neither ~~whether~~ of the first ~~of the~~ user identities is censored.

102. (Currently amended) The method of claim 17, wherein the determining whether the first ~~of the~~ user identity~~[[ies]]~~ and the second ~~of the~~ user identity~~[[ies]]~~ are able to form a group includes determining from access rights stored by user in the database that neither ~~whether~~ of the first ~~of the~~ user identities is censored.

103. (Previously presented) The method of claim 1, further including

determining a user age corresponding to each of the user identities.

104. (Previously presented) The method of claim 2, further including determining a user age corresponding to each of the user identities.

105. (Previously presented) The method of claim 3, further including determining a user age corresponding to each of the user identities.

106. (Previously presented) The method of claim 4, further including determining a user age corresponding to each of the user identities.

107. (Previously presented) The method of claim 5, further including determining a user age corresponding to each of the user identities.

108. (Previously presented) The method of claim 6, further including determining a user age corresponding to each of the user identities.

109. (Previously presented) The method of claim 7, further including determining a user age corresponding to each of the user identities.

110. (Previously presented) The method of claim 8, further including determining a user age corresponding to each of the user identities.

111. (Previously presented) The method of claim 9, further including determining a user age corresponding to each of the user identities.

112. (Previously presented) The method of claim 10, further including determining a user age corresponding to each of the user identities.

113. (Previously presented) The method of claim 11, further including determining a user age corresponding to each of the user identities.

114. (Previously presented) The method of claim 12, further including determining a user age corresponding to each of the user identities.

115. (Previously presented) The method of claim 13, further including determining a user age corresponding to each of the user identities.

116. (Previously presented) The method of claim 14, further including determining a user age corresponding to each of the user identities.

117. (Previously presented) The method of claim 15, further including determining a user age corresponding to each of the user identities.

118. (Previously presented) The method of claim 16, further including determining a user age corresponding to each of the user identities.

119. (Previously presented) The method of claim 17, further including determining a user age corresponding to each of the user identities.

120. (Currently amended) The method of claim 1, wherein each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia wherein the data represents a pointer that produces a pointer-triggered message on demand.

121. (Currently amended) The method of claim 2, ~~wherein the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

.

122. (Currently amended) The method of claim 7, ~~wherein the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

123. (Currently amended) The method of claim 8, ~~wherein the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

124. (Currently amended) The method of claim 9, wherein ~~the pointer is a~~
~~pointer that produces a pointer-triggered message on demand~~ each said user identity is
associated with a respective particular user's stored access rights, which determine whether the
corresponding said user identity is censored from receiving, in the communications, data
presenting at least one of a pointer, video, audio, a graphic, or multimedia.

125. (Currently amended) The method of claim 13, wherein ~~the pointer is a~~
~~pointer that produces a pointer-triggered message on demand~~ each said user identity is
associated with a respective particular user's stored access rights, which determine whether the
corresponding said user identity is censored from receiving, in the communications, data
presenting at least one of a pointer, video, audio, a graphic, or multimedia.

126. (Currently amended) The method of claim 14, wherein ~~the pointer is a~~
~~pointer that produces a pointer-triggered message on demand~~ each said user identity is
associated with a respective particular user's stored access rights, which determine whether the
corresponding said user identity is censored from receiving, in the communications, data
presenting at least one of a pointer, video, audio, a graphic, or multimedia.

127. (Currently amended) The method of claim 15, wherein ~~the pointer is a~~
~~pointer that produces a pointer-triggered message on demand~~ each said user identity is
associated with a respective particular user's stored access rights, which determine whether the
corresponding said user identity is censored from receiving, in the communications, data
presenting at least one of a pointer, video, audio, a graphic, or multimedia.

128. (Currently amended) The method of claim 17, wherein ~~the pointer is a~~

~~pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

129. (Currently amended) The method of claim 18, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

130. (Currently amended) The method of claim 19, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

131. (Currently amended) The method of claim 24, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

132. (Currently amended) The method of claim 25, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is

associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

133. (Currently amended) The method of claim 26, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

134. (Currently amended) The method of claim 30, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

135. (Currently amended) The method of claim 31, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

136. (Currently amended) The method of claim 32, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the

corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

137. (Currently amended) The method of claim 34, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

138. (Currently amended) The method of claim 35, wherein ~~the data that is censored from sending represents a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

139. (Currently amended) The method of claim 36, wherein ~~the data that is censored from sending represents a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

140. (Currently amended) The method of claim 41, wherein ~~the data that is censored from sending represents a pointer that produces a pointer-triggered message on~~

~~demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

141. (Currently amended) The method of claim 42, wherein ~~the data that is censored from sending represents a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

142. (Currently amended) The method of claim 43, wherein ~~the data that is censored from sending represents a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

143. (Currently amended) The method of claim 47, wherein ~~the data that is censored from sending represents a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

144. (Currently amended) The method of claim 48, wherein ~~the data that is censored from sending represents a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

145. (Currently amended) The method of claim 49, wherein ~~the data that is censored from sending represents a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

146. (Currently amended) The method of claim 51, wherein ~~the data that is censored from sending represents a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

147. (Currently amended) The method of claim 52, wherein ~~the data that is censored from sending represents a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from

receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

148. (Currently amended) The method of claim 53, wherein ~~the data that is censored from sending represents a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

149. (Currently amended) The method of claim 58, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

150. (Currently amended) The method of claim 59, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

151. (Currently amended) The method of claim 60, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the

corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

152. (Currently amended) The method of claim 64, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

153. (Currently amended) The method of claim 65, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

154. (Currently amended) The method of claim 66, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

155. (Currently amended) The method of claim 68, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data

presenting at least one of a pointer, video, audio, a graphic, or multimedia.

156. (Currently amended) The method of claim 69, wherein ~~the data that is censored from sending represents a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

157. (Currently amended) The method of claim 70, wherein ~~the data that is censored from sending represents a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

158. (Currently amended) The method of claim 75, wherein ~~the data that is censored from sending represents a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

159. (Currently amended) The method of claim 76, wherein ~~the data that is censored from sending represents a pointer that produces a pointer-triggered message on~~

~~demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

160. (Currently amended) The method of claim 77, wherein ~~the data that is censored from sending represents a pointer that produces a pointer-triggered message on~~ ~~demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

161. (Currently amended) The method of claim 81, wherein ~~the data that is censored from sending represents a pointer that produces a pointer-triggered message on~~ ~~demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

162. (Currently amended) The method of claim 82, wherein ~~the data that is censored from sending represents a pointer that produces a pointer-triggered message on~~ ~~demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

163. (Currently amended) The method of claim 83 wherein ~~the data that is censored from sending represents a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

164. (Currently amended) The method of claim 85, wherein ~~the data that is censored from sending represents a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

165. (Cancelled)

166. (Currently amended) The method of claim 86, wherein ~~the data that is censored from sending represents a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

167. (Currently amended) The method of claim 87, wherein ~~the data that is censored from sending represents a pointer that produces a pointer-triggered message on~~

~~demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

168. (Currently amended) The method of claim 92, wherein ~~the data that is censored from sending represents a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

169. (Currently amended) The method of claim 93, wherein ~~the data that is censored from sending represents a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

170. (Currently amended) A method of communicating via an Internet network, ~~the method including:~~

- ~~connecting a plurality of computers to a computer system;~~
- ~~receiving, from each of the plurality of computers, a respective login name and password corresponding to a respective user identity;~~
- ~~determining whether a first of the user identities and a second of the user~~

~~identities are able to form a group for sending and for receiving communications in real time;~~
~~determining whether at least one of the first user identity and the second user~~
~~identity, individually, is censored from sending data in the communications, the data~~
~~representing at least one of a pointer, video, audio, a graphic or multimedia; and~~
~~if the first and the second user identities are able to form the group, then forming the group,~~
~~facilitating sending the communications that are not censored based on the individual user~~
~~identity and facilitating receiving the communications that are sent, wherein the receiving is in~~
~~real time and via the Internet network~~ by using a computer system including a controller
computer and a database which serves as a repository of tokens for other programs to access,
thereby affording information to each of a plurality of participator computers which are
otherwise independent of each other, the method including:
affording some of the information to a first of the participator computers via the Internet
network, responsive to an authenticated first user identity;
affording some of the information to a second of the participator computers via the
Internet network, responsive to an authenticated second user identity; and
determining whether the first user identity and the second user identity are able to form
a group to send and to receive communications; and
determining whether the first user identity is censored from sending data in the
communications, the data presenting at least one of a pointer, video, audio, a graphic, or
multimedia; and
if the user identities are able to form the group, forming the group and facilitating
sending the communications that are not censored from the first participator computer to the
second participator computer, wherein the sending is in real time and via the Internet network,
and
if the first user identity is censored from the sending of the data, not allowing sending

the data that is censored from the first participator computer to the second participator computer.

171. (Currently amended) The method of claim 94, wherein ~~the data that is censored from sending represents a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

172. (Currently amended) The method of claim 98, wherein ~~the data that is censored from sending represents a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

173. (Currently amended) The method of claim 99, wherein ~~the data that is censored from sending represents a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

174. (Currently amended) The method of claim 100, wherein ~~the data that is~~

~~censored from sending represents a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

175. (Currently amended) The method of claim 102, wherein ~~the data that is censored from sending represents a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

176. (Currently amended) The method of claim 103, wherein ~~the data that is censored from sending represents a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

177. (Currently amended) The method of claim 104, wherein ~~the data that is censored from sending represents a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or

multimedia.

178. (Currently amended) The method of claim 109, wherein ~~the data that is censored from sending represents a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or
multimedia.

179. (Currently amended) The method of claim 110, wherein ~~the data that is censored from sending represents a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or
multimedia.

180. (Currently amended) The method of claim 111, wherein ~~the data that is censored from sending represents a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or
multimedia.

181. (Currently amended) The method of claim 115, wherein ~~the data that is censored from sending represents a pointer that produces a pointer-triggered message on~~

~~demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

182. (Currently amended) The method of claim 116, wherein ~~the data that is censored from sending represents a pointer that produces a pointer-triggered message on~~ ~~demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

183. (Currently amended) The method of claim 117, wherein ~~the data that is censored from sending represents a pointer that produces a pointer-triggered message on~~ ~~demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

184. (Currently amended) The method of claim 119, wherein ~~the data that is censored from sending represents a pointer that produces a pointer-triggered message on~~ ~~demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

185. (Currently amended) The method of claim 1, wherein receiving the communications includes causing presentation of some of the communications by one of the plurality of participator computers in the group.

186. (Currently amended) The method of claim 1, ~~further including, when the data is censored, not receiving the communications that are censored based on the individual user identity, and not presenting the data that is censored to the corresponding output device wherein, if the first user identity is censored, not allowing the communications that include the data that is censored.~~

187. (Currently amended) The method of claim 1, wherein the computer system ~~is comprised of~~ comprises an Internet service provider computer system.

188. (Currently amended) The method of claim 1, further including:
storing, for the first user identity, an authorization associated with presentation of graphical multimedia; and
based on the authorization, ~~presenting~~facilitating presentation of the graphical multimedia at ~~[[the]]~~ an output device corresponding to the second user identity.

189. (Previously presented) The method of claim 1, further including:
providing the first user identity with access to a member-associated image corresponding to the second user identity.

190. (Previously presented) The method of claim 1, further including:
determining whether the first user identity is censored from access to a member-

associated image corresponding to the second user identity;

if the first user identity is censored, not allowing access to the member-associated image; and

if the first user identity is not censored, allowing access to the member-associated image.

191. (Currently amended) The method of claim 170, wherein the determining whether ~~at least one of the first user identity and the second user identity, individually, the first user identity~~ is censored from sending data includes wherein the determining ~~that whether at least one of the first user identity and the second user identity, individually, the first user identity~~ is censored from the sending of the data ~~[[re]]presenting [[a]] the pointer.~~

192. (Currently amended) The method of claim 170, wherein the determining whether ~~at least one of the first user identity and the second user identity, individually, the first user identity~~ is censored from sending data includes wherein the determining ~~that whether at least one of the first user identity and the second user identity, individually, the first user identity~~ is censored from the sending of the data ~~[[re]]presenting the video.~~

193. (Currently amended) The method of claim 170, wherein the determining whether ~~at least one of the first user identity and the second user identity, individually, the first user identity~~ is censored from sending data includes wherein the determining ~~that whether at least one of the first user identity and the second user identity, individually, the first user identity~~ is censored from the sending of the data ~~[[re]]presenting the audio.~~

194. (Currently amended) The method of claim 170, wherein the determining

whether ~~at least one of the first user identity and the second user identity, individually, the first user identity~~ is censored from sending data includes wherein the determining ~~that~~whether at ~~least one of the first user identity and the second user identity, individually, the first user identity~~ is censored from the sending of the data ~~[[re]]~~presenting ~~[[a]]~~ the graphic.

195. (Currently amended) The method of claim 170, wherein the determining whether ~~at least one of the first user identity and the second user identity, individually, the first user identity~~ is censored from sending data includes wherein the determining ~~that~~whether at ~~least one of the first user identity and the second user identity, individually, the first user identity~~ is censored from the sending of the data ~~[[re]]~~presenting the multimedia.

196. (Currently amended) The method of claim 170, wherein the determining whether ~~at least one of the first user identity and the second user identity, individually, the first user identity~~ is censored from sending data includes wherein the determining ~~that~~whether at ~~least one of the first user identity and the second user identity, individually, the first user identity~~ is censored from the sending of the data ~~[[re]]~~presenting ~~[[a]]~~ the pointer and the video.

197. (Currently amended) The method of claim 170, wherein the determining whether ~~at least one of the first user identity and the second user identity, individually, the first user identity~~ is censored from sending data includes wherein the determining ~~that~~whether at ~~least one of the first user identity and the second user identity, individually, the first user identity~~ is censored from the sending of the data ~~[[re]]~~presenting ~~[[a]]~~ the pointer and the audio.

198. (Currently amended) The method of claim 170, wherein the determining whether ~~at least one of the first user identity and the second user identity, individually, the first~~

user identity is censored from sending data includes wherein the determining ~~that whether at~~
~~least one of the first user identity and the second user identity, individually, the first user identity~~
is censored from the sending of the data ~~[[re]]~~presenting ~~[[a]]~~ the pointer and ~~[[a]]~~ the graphic.

199. (Currently amended) The method of claim 170, wherein the determining
whether ~~at least one of the first user identity and the second user identity, individually, the first~~
user identity is censored from sending data includes wherein the determining ~~that whether at~~
~~least one of the first user identity and the second user identity, individually, the first user identity~~
is censored from the sending of the data ~~[[re]]~~presenting the video and the audio.

200. (Currently amended) The method of claim 170, wherein the determining
whether ~~at least one of the first user identity and the second user identity, individually, the first~~
user identity is censored from sending data includes wherein the determining ~~that whether at~~
~~least one of the first user identity and the second user identity, individually, the first user identity~~
is censored from the sending of the data ~~[[re]]~~presenting the video and ~~[[a]]~~ the graphic.

201. (Currently amended) The method of claim 170, wherein the determining
whether ~~at least one of the first user identity and the second user identity, individually, the first~~
user identity is censored from sending data includes wherein the determining ~~that whether at~~
~~least one of the first user identity and the second user identity, individually, the first user identity~~
is censored from the sending of the data ~~[[re]]~~presenting the audio and ~~[[a]]~~ the graphic.

202. (Currently amended) The method of claim 170, wherein the determining
whether ~~at least one of the first user identity and the second user identity, individually, the first~~
user identity is censored from sending data includes wherein the determining ~~that whether at~~

~~least one of the first user identity and the second user identity, individually, the first user identity~~
is censored from the sending of the data ~~[[re]]presenting [[a]] the pointer and the video and the~~
audio.

203. (Currently amended) The method of claim 170, wherein the determining whether ~~at least one of the first user identity and the second user identity, individually, the first user identity~~ is censored from sending data includes ~~wherein the determining that~~whether at ~~least one of the first user identity and the second user identity, individually, the first user identity~~ is censored from the sending of the data ~~[[re]]presenting [[a]] the pointer and the video and [[a]] the graphic.~~

204. (Currently amended) The method of claim 170, wherein the determining whether ~~at least one of the first user identity and the second user identity, individually, the first user identity~~ is censored from sending data includes ~~wherein the determining that~~whether at ~~least one of the first user identity and the second user identity, individually, the first user identity~~ is censored from the sending of the data ~~[[re]]presenting [[a]] the pointer and the audio and [[a]] the graphic.~~

205. (Currently amended) The method of claim 170, wherein the determining whether ~~at least one of the first user identity and the second user identity, individually, the first user identity~~ is censored from sending data includes ~~wherein the determining that~~whether at ~~least one of the first user identity and the second user identity, individually, the first user identity~~ is censored from the sending of the data ~~[[re]]presenting [[a]] the video and the audio and [[a]] the graphic.~~

206. (Currently amended) The method of claim 170, wherein the determining whether ~~at least one of the first user identity and the second user identity, individually, the first user identity~~ is censored from ~~sending data~~ includes ~~wherein the determining that whether at least one of the first user identity and the second user identity, individually, the first user identity~~ is censored from the sending of the data ~~[[re]]~~presenting ~~[[a]]~~ the pointer and the video and the audio and [[a]] the graphic.

207. (Currently amended) The method of claim 170, wherein the facilitating sending the communications that are sent from the first participator computer to the second participator computer includes facilitating sending communications that include an Internet URL and further including handling the Internet URL via the controller computer system so as to find content specified by the Internet URL, and facilitating presenting the content at an output device corresponding to the second identity ~~wherein at least some of the communications include at least one of text or ascii.~~

208. (Currently amended) The method of claim 191, wherein the facilitating sending the communications that are sent from the first participator computer to the second participator computer includes facilitating sending communications that include an Internet URL and further including handling the Internet URL via the controller computer system so as to find content specified by the Internet URL, and facilitating presenting the content at an output device corresponding to the second identity ~~wherein at least some of the communications include at least one of text or ascii.~~

209. (Currently amended) The method of claim 192, wherein the facilitating sending the communications that are sent from the first participator computer to the second

participator computer includes facilitating sending communications that include an Internet URL and further including handling the Internet URL via the controller computer system so as to find content specified by the Internet URL, and facilitating presenting the content at an output device corresponding to the second identity ~~wherein at least some of the communications include at least one of text or ascii.~~

210. (Currently amended) The method of claim 193, wherein the facilitating sending the communications that are sent from the first participator computer to the second participator computer includes facilitating sending communications that include an Internet URL and further including handling the Internet URL via the controller computer system so as to find content specified by the Internet URL, and facilitating presenting the content at an output device corresponding to the second identity ~~wherein at least some of the communications include at least one of text or ascii.~~

211. (Currently amended) The method of claim 194, wherein the facilitating sending the communications that are sent from the first participator computer to the second participator computer includes facilitating sending communications that include an Internet URL and further including handling the Internet URL via the controller computer system so as to find content specified by the Internet URL, and facilitating presenting the content at an output device corresponding to the second identity ~~wherein at least some of the communications include at least one of text or ascii.~~

212. (Currently amended) The method of claim 195, wherein the facilitating sending the communications that are sent from the first participator computer to the second participator computer includes facilitating sending communications that include an Internet URL

and further including handling the Internet URL via the controller computer system so as to find content specified by the Internet URL, and facilitating presenting the content at an output device corresponding to the second identity ~~wherein at least some of the communications include at least one of text or ascii.~~

213. (Currently amended) The method of claim 196, wherein the facilitating sending the communications that are sent from the first participator computer to the second participator computer includes facilitating sending communications that include an Internet URL and further including handling the Internet URL via the controller computer system so as to find content specified by the Internet URL, and facilitating presenting the content at an output device corresponding to the second identity ~~wherein at least some of the communications include at least one of text or ascii.~~

214. (Currently amended) The method of claim 197, wherein the facilitating sending the communications that are sent from the first participator computer to the second participator computer includes facilitating sending communications that include an Internet URL and further including handling the Internet URL via the controller computer system so as to find content specified by the Internet URL, and facilitating presenting the content at an output device corresponding to the second identity ~~wherein at least some of the communications include at least one of text or ascii.~~

215. (Currently amended) The method of claim 198, wherein the facilitating sending the communications that are sent from the first participator computer to the second participator computer includes facilitating sending communications that include an Internet URL and further including handling the Internet URL via the controller computer system so as to find

content specified by the Internet URL, and facilitating presenting the content at an output device corresponding to the second identity wherein at least some of the communications include at least one of text or ascii.

216. (Currently amended) The method of claim 199, wherein the facilitating sending the communications that are sent from the first participator computer to the second participator computer includes facilitating sending communications that include an Internet URL and further including handling the Internet URL via the controller computer system so as to find content specified by the Internet URL, and facilitating presenting the content at an output device corresponding to the second identity wherein at least some of the communications include at least one of text or ascii.

217. (Currently amended) The method of claim 200, wherein the facilitating sending the communications that are sent from the first participator computer to the second participator computer includes facilitating sending communications that include an Internet URL and further including handling the Internet URL via the controller computer system so as to find content specified by the Internet URL, and facilitating presenting the content at an output device corresponding to the second identity wherein at least some of the communications include at least one of text or ascii.

218. (Currently amended) The method of claim 201, wherein the facilitating sending the communications that are sent from the first participator computer to the second participator computer includes facilitating sending communications that include an Internet URL and further including handling the Internet URL via the controller computer system so as to find content specified by the Internet URL, and facilitating presenting the content at an output device

corresponding to the second identity wherein at least some of the communications include at least one of text or ascii.

219. (Currently amended) The method of claim 202, wherein the facilitating sending the communications that are sent from the first participator computer to the second participator computer includes facilitating sending communications that include an Internet URL and further including handling the Internet URL via the controller computer system so as to find content specified by the Internet URL, and facilitating presenting the content at an output device corresponding to the second identity wherein at least some of the communications include at least one of text or ascii.

220. (Currently amended) The method of claim 203, wherein the facilitating sending the communications that are sent from the first participator computer to the second participator computer includes facilitating sending communications that include an Internet URL and further including handling the Internet URL via the controller computer system so as to find content specified by the Internet URL, and facilitating presenting the content at an output device corresponding to the second identity wherein at least some of the communications include at least one of text or ascii.

221. (Currently amended) The method of claim 204, wherein the facilitating sending the communications that are sent from the first participator computer to the second participator computer includes facilitating sending communications that include an Internet URL and further including handling the Internet URL via the controller computer system so as to find content specified by the Internet URL, and facilitating presenting the content at an output device corresponding to the second identity wherein at least some of the communications include at

~~least one of text or ascii.~~

222. (Currently amended) The method of claim 205, wherein the facilitating sending the communications that are sent from the first participator computer to the second participator computer includes facilitating sending communications that include an Internet URL and further including handling the Internet URL via the controller computer system so as to find content specified by the Internet URL, and facilitating presenting the content at an output device corresponding to the second identity ~~wherein at least some of the communications include at least one of text or ascii.~~

223. (Currently amended) The method of claim 206, wherein the facilitating sending the communications that are sent from the first participator computer to the second participator computer includes facilitating sending communications that include an Internet URL and further including handling the Internet URL via the controller computer system so as to find content specified by the Internet URL, and facilitating presenting the content at an output device corresponding to the second identity ~~wherein at least some of the communications include at least one of text or ascii.~~

224. (Previously presented) The method of claim 170, further including determining whether at least one of the communications is censored based on content.

225. (Previously presented) The method of claim 191, further including determining whether at least one of the communications is censored based on content.

226. (Previously presented) The method of claim 192, further including

determining whether at least one of the communications is censored based on content.

227. (Previously presented) The method of claim 193, further including determining whether at least one of the communications is censored based on content.

228. (Previously presented) The method of claim 194, further including determining whether at least one of the communications is censored based on content.

229. (Previously presented) The method of claim 195, further including determining whether at least one of the communications is censored based on content.

230. (Previously presented) The method of claim 196, further including determining whether at least one of the communications is censored based on content.

231. (Previously presented) The method of claim 197, further including determining whether at least one of the communications is censored based on content.

232. (Previously presented) The method of claim 198, further including determining whether at least one of the communications is censored based on content.

233. (Previously presented) The method of claim 199, further including determining whether at least one of the communications is censored based on content.

234. (Previously presented) The method of claim 200, further including determining whether at least one of the communications is censored based on content.

235. (Previously presented) The method of claim 201, further including determining whether at least one of the communications is censored based on content.

236. (Previously presented) The method of claim 202, further including determining whether at least one of the communications is censored based on content.

237. (Previously presented) The method of claim 203, further including determining whether at least one of the communications is censored based on content.

238. (Previously presented) The method of claim 204, further including determining whether at least one of the communications is censored based on content.

239. (Previously presented) The method of claim 205, further including determining whether at least one of the communications is censored based on content.

240. (Previously presented) The method of claim 206, further including determining whether at least one of the communications is censored based on content

241. (Currently amended) The method of claim 170, wherein the determining whether the first user identity and the second user identity are able to form a group includes determining from access rights stored by user in the database that neither ~~whether the first of the user identities is censored.~~

242. (Currently amended) The method of claim 191, wherein the determining whether the first user identity and the second user identity are able to form a group includes

determining from access rights stored by user in the database that neither ~~whether the first~~ of the user identities is censored.

243. (Currently amended) The method of claim 192, wherein the determining whether the first user identity and the second user identity are able to form a group includes determining from access rights stored by user in the database that neither ~~whether the first~~ of the user identities is censored.

244. (Currently amended) The method of claim 193, wherein the determining whether the first user identity and the second user identity are able to form a group includes determining from access rights stored by user in the database that neither ~~whether the first~~ of the user identities is censored.

245. (Currently amended) The method of claim 194, wherein the determining whether the first user identity and the second user identity are able to form a group includes determining from access rights stored by user in the database that neither ~~whether the first~~ of the user identities is censored.

246. (Currently amended) The method of claim 195, wherein the determining whether the first user identity and the second user identity are able to form a group includes determining from access rights stored by user in the database that neither ~~whether the first~~ of the user identities is censored.

247. (Currently amended) The method of claim 196, wherein the determining whether the first user identity and the second user identity are able to form a group includes

determining from access rights stored by user in the database that neither ~~whether the first of~~
the user identities is censored.

248. (Currently amended) The method of claim 197, wherein the determining
whether the first user identity and the second user identity are able to form a group includes
determining from access rights stored by user in the database that neither ~~whether the first of~~
the user identities is censored.

249. (Currently amended) The method of claim 198, wherein the determining
whether the first user identity and the second user identity are able to form a group includes
determining from access rights stored by user in the database that neither ~~whether the first of~~
the user identities is censored.

250. (Currently amended) The method of claim 199, wherein the determining
whether the first user identity and the second user identity are able to form a group includes
determining from access rights stored by user in the database that neither ~~whether the first of~~
the user identities is censored.

251. (Currently amended) The method of claim 200, wherein the determining
whether the first user identity and the second user identity are able to form a group includes
determining from access rights stored by user in the database that neither ~~whether the first of~~
the user identities is censored.

252. (Currently amended) The method of claim 201 wherein the determining
whether the first user identity and the second user identity are able to form a group includes

determining from access rights stored by user in the database that neither ~~whether the first of~~
the user identities is censored.

253. (Currently amended) The method of claim 202, wherein the
determining whether the first user identity and the second user identity are able to form a group
includes determining from access rights stored by user in the database that neither ~~whether the~~
~~first~~ of the user identities is censored.

254. (Currently amended) The method of claim 203, wherein the
determining whether the first user identity and the second user identity are able to form a group
includes determining from access rights stored by user in the database that neither ~~whether the~~
~~first~~ of the user identities is censored.

255. (Currently amended) The method of claim 204, wherein the
determining whether the first user identity and the second user identity are able to form a group
includes determining from access rights stored by user in the database that neither ~~whether the~~
~~first~~ of the user identities is censored.

256. (Currently amended) The method of claim 205, wherein the
determining whether the first user identity and the second user identity are able to form a group
includes determining from access rights stored by user in the database that neither ~~whether the~~
~~first~~ of the user identities is censored.

257. (Currently amended) The method of claim 206, wherein the
determining whether the first user identity and the second user identity are able to form a group

includes determining from access rights stored by user in the database that neither ~~whether the~~
first of the user identities is censored.

258. (Previously presented) The method of claim 170, further including
determining a user age corresponding to each of the user identities.

259. (Previously presented) The method of claim 191, further including
determining a user age corresponding to each of the user identities.

260. (Previously presented) The method of claim 192, further including
determining a user age corresponding to each of the user identities.

261. (Previously presented) The method of claim 193, further including
determining a user age corresponding to each of the user identities.

262. (Previously presented) The method of claim 194, further including
determining a user age corresponding to each of the user identities.

263. (Previously presented) The method of claim 195, further including
determining a user age corresponding to each of the user identities.

264. (Previously presented) The method of claim 196, further including
determining a user age corresponding to each of the user identities.

265. (Previously presented) The method of claim 197, further including

determining a user age corresponding to each of the user identities.

266. (Previously presented) The method of claim 198, further including determining a user age corresponding to each of the user identities.

267. (Previously presented) The method of claim 199, further including determining a user age corresponding to each of the user identities.

268. (Previously presented) The method of claim 200, further including determining a user age corresponding to each of the user identities.

269. (Previously presented) The method of claim 201, further including determining a user age corresponding to each of the user identities.

270. (Previously presented) The method of claim 202, further including determining a user age corresponding to each of the user identities.

271. (Previously presented) The method of claim 203, further including determining a user age corresponding to each of the user identities.

272. (Previously presented) The method of claim 204, further including determining a user age corresponding to each of the user identities.

273. (Previously presented) The method of claim 205, further including determining a user age corresponding to each of the user identities.

274. (Previously presented) The method of claim 206, further including determining a user age corresponding to each of the user identities.

275. (Currently amended) The method of claim 170, wherein at least one of the communications includes data [[re]]presenting a human communication of sound.

276. (Currently amended) The method of claim 191, wherein at least one of the communications includes data [[re]]presenting a human communication of sound.

277. (Currently amended) The method of claim 192, wherein at least one of the communications includes data [[re]]presenting a human communication of sound.

278. (Currently amended) The method of claim 193, wherein at least one of the communications includes data [[re]]presenting a human communication of sound.

279. (Currently amended) The method of claim 194, wherein at least one of the communications includes data [[re]]presenting a human communication of sound.

280. (Currently amended) The method of claim 195, wherein at least one of the communications includes data [[re]]presenting a human communication of sound.

281. (Currently amended) The method of claim 196, wherein at least one of the communications includes data [[re]]presenting a human communication of sound.

282. (Currently amended) The method of claim 197, wherein at least one of the communications includes data [[re]]presenting a human communication of sound.

283. (Currently amended) The method of claim 198, wherein at least one of the communications includes data [[re]]presenting a human communication of sound.

284. (Currently amended) The method of claim 199, wherein at least one of the communications includes data [[re]]presenting a human communication of sound.

285. (Currently amended) The method of claim 200, wherein at least one of the communications includes data [[re]]presenting a human communication of sound.

286. (Currently amended) The method of claim 201, wherein at least one of the communications includes data [[re]]presenting a human communication of sound.

287. (Currently amended) The method of claim 202, wherein at least one of the communications includes data [[re]]presenting a human communication of sound.

288. (Currently amended) The method of claim 203, wherein at least one of the communications includes data [[re]]presenting a human communication of sound.

289. (Currently amended) The method of claim 204, wherein at least one of the communications includes data [[re]]presenting a human communication of sound.

290. (Currently amended) The method of claim 205, wherein at least one of

the communications includes data ~~[[re]]~~presenting a human communication of sound.

291. (Currently amended) The method of claim 206, wherein at least one of the communications includes data ~~[[re]]~~presenting a human communication of sound.

292. through 308. Cancelled

309. (Currently amended) The method of claim 170, wherein the computer system is comprised of an Internet service provider computer ~~system~~.

310. (Currently amended) The method of claim 170, further including:
storing, for the first user identity, an authorization associated with presentation of graphical multimedia; and
based on the authorization, ~~presenting~~facilitating presentation of the graphical multimedia at ~~the~~ an output device corresponding to the second user identity.

311. (Previously presented) The method of claim 170, further including:
providing the first user identity with access to a member-associated image corresponding to the second user identity.

312. (Previously presented) The method of claim 170, further including:
determining whether the first user identity is censored from access to a member-associated image corresponding to the second user identity;
if the first user identity is censored, not allowing access to the member-associated image; and

if the first user identity is not censored, allowing access to the member-associated image.

313. (Currently amended) The method of claim 170, wherein ~~the data represents a pointer that a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

314. (Currently amended) The method of claim 191, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

315. (Currently amended) The method of claim 196, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

316. (Currently amended) The method of claim 197, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from sending, in the communications, data

presenting at least one of a pointer, video, audio, a graphic, or multimedia.

317. (Currently amended) The method of claim 198, wherein ~~the pointer is a~~
~~pointer that produces a pointer-triggered message on demand~~ each said user identity is
associated with a respective particular user's stored access rights, which determine whether the
corresponding said user identity is censored from sending, in the communications, data
presenting at least one of a pointer, video, audio, a graphic, or multimedia.

318. (Currently amended) The method of claim 202, wherein ~~the pointer is a~~
~~pointer that produces a pointer-triggered message on demand~~ each said user identity is
associated with a respective particular user's stored access rights, which determine whether the
corresponding said user identity is censored from sending, in the communications, data
presenting at least one of a pointer, video, audio, a graphic, or multimedia.

319. (Currently amended) The method of claim 203, wherein ~~the pointer is a~~
~~pointer that produces a pointer-triggered message on demand~~ each said user identity is
associated with a respective particular user's stored access rights, which determine whether the
corresponding said user identity is censored from sending, in the communications, data
presenting at least one of a pointer, video, audio, a graphic, or multimedia.

320. (Currently amended) The method of claim 204, wherein ~~the pointer is a~~
~~pointer that produces a pointer-triggered message on demand~~ each said user identity is
associated with a respective particular user's stored access rights, which determine whether the
corresponding said user identity is censored from sending, in the communications, data
presenting at least one of a pointer, video, audio, a graphic, or multimedia.

321. (Currently amended) The method of claim 206, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

322. (Currently amended) The method of claim 207, wherein ~~the data represents a pointer that a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

323. (Currently amended) The method of claim 208, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

324. (Currently amended) The method of claim 213, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

325. (Currently amended) The method of claim 214, wherein ~~the pointer is a~~
~~pointer that produces a pointer-triggered message on demand~~ each said user identity is
associated with a respective particular user's stored access rights, which determine whether the
corresponding said user identity is censored from sending, in the communications, data
presenting at least one of a pointer, video, audio, a graphic, or multimedia.

326. (Currently amended) The method of claim 215, wherein ~~the pointer is a~~
~~pointer that produces a pointer-triggered message on demand~~ each said user identity is
associated with a respective particular user's stored access rights, which determine whether the
corresponding said user identity is censored from sending, in the communications, data
presenting at least one of a pointer, video, audio, a graphic, or multimedia.

327. (Currently amended) The method of claim 219, wherein ~~the pointer is a~~
~~pointer that produces a pointer-triggered message on demand~~ each said user identity is
associated with a respective particular user's stored access rights, which determine whether the
corresponding said user identity is censored from sending, in the communications, data
presenting at least one of a pointer, video, audio, a graphic, or multimedia.

328. (Currently amended) The method of claim 220, wherein ~~the pointer is a~~
~~pointer that produces a pointer-triggered message on demand~~ each said user identity is
associated with a respective particular user's stored access rights, which determine whether the
corresponding said user identity is censored from sending, in the communications, data
presenting at least one of a pointer, video, audio, a graphic, or multimedia.

329. (Currently amended) The method of claim 221, wherein ~~the pointer is a~~

~~pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

330. (Currently amended) The method of claim 223, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

331. (Currently amended) The method of claim 224, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

332. (Currently amended) The method of claim 225, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

333. (Currently amended) The method of claim 230, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is

associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

334. (Currently amended) The method of claim 231, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

335. (Currently amended) The method of claim 232, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

336. (Currently amended) The method of claim 236, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

337. (Currently amended) The method of claim 237, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the

corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

338. (Currently amended) The method of claim 238, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

339. (Currently amended) The method of claim 240, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

340. (Currently amended) The method of claim 241, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

341. (Currently amended) The method of claim 242, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from sending, in the communications, data

presenting at least one of a pointer, video, audio, a graphic, or multimedia.

342. (Currently amended) The method of claim 247 wherein ~~the pointer is a~~
~~pointer that produces a pointer-triggered message on demand~~ each said user identity is
associated with a respective particular user's stored access rights, which determine whether the
corresponding said user identity is censored from sending, in the communications, data
presenting at least one of a pointer, video, audio, a graphic, or multimedia.

343. (Currently amended) The method of claim 248, wherein ~~the pointer is a~~
~~pointer that produces a pointer-triggered message on demand~~ each said user identity is
associated with a respective particular user's stored access rights, which determine whether the
corresponding said user identity is censored from sending, in the communications, data
presenting at least one of a pointer, video, audio, a graphic, or multimedia.

344. (Currently amended) The method of claim 249, wherein ~~the pointer is a~~
~~pointer that produces a pointer-triggered message on demand~~ each said user identity is
associated with a respective particular user's stored access rights, which determine whether the
corresponding said user identity is censored from sending, in the communications, data
presenting at least one of a pointer, video, audio, a graphic, or multimedia.

345. (Currently amended) The method of claim 253, wherein ~~the pointer is a~~
~~pointer that produces a pointer-triggered message on demand~~ each said user identity is
associated with a respective particular user's stored access rights, which determine whether the
corresponding said user identity is censored from sending, in the communications, data
presenting at least one of a pointer, video, audio, a graphic, or multimedia.

346. (Currently amended) The method of claim 254, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

347. (Currently amended) The method of claim 255, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

348. (Currently amended) The method of claim 257, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

349. (Currently amended) The method of claim 258, wherein ~~the data represents a pointer that a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

350. (Currently amended) The method of claim 259, wherein ~~the pointer is a~~
~~pointer that produces a pointer-triggered message on demand~~ each said user identity is
associated with a respective particular user's stored access rights, which determine whether the
corresponding said user identity is censored from sending, in the communications, data
presenting at least one of a pointer, video, audio, a graphic, or multimedia.

351. (Currently amended) The method of claim 264, wherein ~~the pointer is a~~
~~pointer that produces a pointer-triggered message on demand~~ each said user identity is
associated with a respective particular user's stored access rights, which determine whether the
corresponding said user identity is censored from sending, in the communications, data
presenting at least one of a pointer, video, audio, a graphic, or multimedia.

352. (Currently amended) The method of claim 265, wherein ~~the pointer is a~~
~~pointer that produces a pointer-triggered message on demand~~ each said user identity is
associated with a respective particular user's stored access rights, which determine whether the
corresponding said user identity is censored from sending, in the communications, data
presenting at least one of a pointer, video, audio, a graphic, or multimedia.

353. (Currently amended) The method of claim 266, wherein ~~the pointer is a~~
~~pointer that produces a pointer-triggered message on demand~~ each said user identity is
associated with a respective particular user's stored access rights, which determine whether the
corresponding said user identity is censored from sending, in the communications, data
presenting at least one of a pointer, video, audio, a graphic, or multimedia.

354. (Currently amended) The method of claim 270, wherein ~~the pointer is a~~

~~pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

355. (Currently amended) The method of claim 271, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

356. (Currently amended) The method of claim 272, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

357. (Currently amended) The method of claim 274, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

358. (Currently amended) The method of claim 275, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is

associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

359. (Currently amended) The method of claim 276, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

360. (Currently amended) The method of claim 281, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

361. (Currently amended) The method of claim 282, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

362. (Currently amended) The method of claim 283, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the

corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

363. (Currently amended) The method of claim 287, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

364. (Currently amended) The method of claim 288, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

365. (Currently amended) The method of claim 289, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

366. (Currently amended) The method of claim 291, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ each said user identity is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from sending, in the communications, data

presenting at least one of a pointer, video, audio, a graphic, or multimedia.

367. through 375. (Cancelled)

376. (Currently amended) The method of claim 309, wherein ~~the data~~
~~represents a pointer that a pointer-triggered message on-demand~~ each said user identity is
associated with a respective particular user's stored access rights, which determine whether the
corresponding said user identity is censored from sending, in the communications, data
presenting at least one of a pointer, video, audio, a graphic, or multimedia.

377. (Currently amended) The method of claim 310, wherein ~~the data~~
~~represents a pointer that a pointer-triggered message on-demand~~ each said user identity is
associated with a respective particular user's stored access rights, which determine whether the
corresponding said user identity is censored from sending, in the communications, data
presenting at least one of a pointer, video, audio, a graphic, or multimedia.

378. (Currently amended) The method of claim 311, wherein ~~the data~~
~~represents a pointer that a pointer-triggered message on-demand~~ each said user identity is
associated with a respective particular user's stored access rights, which determine whether the
corresponding said user identity is censored from sending, in the communications, data
presenting at least one of a pointer, video, audio, a graphic, or multimedia.

379. (Currently amended) The method of claim 312, wherein ~~the data~~
~~represents a pointer that a pointer-triggered message on-demand~~ each said user identity is
associated with a respective particular user's stored access rights, which determine whether the

corresponding said user identity is censored from sending, in the communications, data
presenting at least one of a pointer, video, audio, a graphic, or multimedia.

380. (Currently amended) The system of claim 435, wherein the data
[[re]]presents [[a]] the pointer.

381. (Currently amended) The system of claim 435, wherein the data
[[re]]presents the video.

382. (Currently amended) The system of claim 435, wherein the data
[[re]]presents the audio.

383. (Currently amended) The system of claim 435, wherein the data
[[re]]presents [[a]] the graphic.

384. (Currently amended) The system of claim 435, wherein the data
[[re]]presents the multimedia.

385. (Currently amended) The system of claim 435, wherein the data
[[re]]presents [[a]] the pointer and the video.

386. (Currently amended) The system of claim 435, wherein the data
[[re]]presents [[a]] the pointer and the audio.

387. (Currently amended) The system of claim 435, wherein the data

[[re]]presents [[a]] the pointer and [[a]] the graphic.

388. (Currently amended) The system of claim 435, wherein the data
[[re]]presents the video and the audio.

389. (Currently amended) The system of claim 435, wherein the data
[[re]]presents the video and [[a]] the graphic.

390. (Currently amended) The system of claim 435, wherein the data
[[re]]presents the audio and [[a]] the graphic.

391. (Currently amended) The system of claim 435, wherein the data
[[re]]presents [[a]] the pointer and the video and the audio.

392. (Currently amended) The system of claim 435, wherein the data
[[re]]presents [[a]] the pointer and the video and [[a]] the graphic.

393. (Currently amended) The system of claim 435, wherein the data
[[re]]presents [[a]] the pointer and the audio and [[a]] the graphic.

394. (Currently amended) The system of claim 435, wherein the data
[[re]]presents the video and the audio and [[a]] the graphic.

395. (Currently amended) The system of claim 435, wherein the data
[[re]]presents [[a]] the pointer and the video and the audio and [[a]] the graphic.

396. (Previously presented) The system of claim 435, wherein the computer system is further programmed to determine whether at least one of the communications is censored based on content.

397. (Previously presented) The system of claim 380, wherein the computer system is further programmed to determine whether at least one of the communications is censored based on content.

398. (Previously presented) The system of claim 381, wherein the computer system is further programmed to determine whether at least one of the communications is censored based on content.

399. (Previously presented) The system of claim 382, wherein the computer system is further programmed to determine whether at least one of the communications is censored based on content.

400. (Previously presented) The system of claim 383, wherein the computer system is further programmed to determine whether at least one of the communications is censored based on content.

401. (Previously presented) The system of claim 384, wherein the computer system is further programmed to determine whether at least one of the communications is censored based on content.

402. (Previously presented) The system of claim 385, wherein the computer

system is further programmed to determine whether at least one of the communications is censored based on content.

403. (Previously presented) The system of claim 386, wherein the computer system is further programmed to determine whether at least one of the communications is censored based on content.

404. (Previously presented) The system of claim 387, wherein the computer system is further programmed to determine whether at least one of the communications is censored based on content.

405. (Previously presented) The system of claim 388, wherein the computer system is further programmed to determine whether at least one of the communications is censored based on content.

406. (Previously presented) The system of claim 389, wherein the computer system is further programmed to determine whether at least one of the communications is censored based on content.

407. (Previously presented) The system of claim 390, wherein the computer system is further programmed to determine whether at least one of the communications is censored based on content.

408. (Previously presented) The system of claim 391, wherein the computer system is further programmed to determine whether at least one of the communications is

censored based on content.

409. (Cancelled)

410. (Previously presented) The system of claim 392, wherein the computer system is further programmed to determine whether at least one of the communications is censored based on content.

411. (Previously presented) The system of claim 393, wherein the computer system is further programmed to determine whether at least one of the communications is censored based on content.

412. (Previously presented) The system of claim 394, wherein the computer system is further programmed to determine whether at least one of the communications is censored based on content.

413. (Previously presented) The system of claim 395, wherein the computer system is further programmed to determine whether at least one of the communications is censored based on content.

414. (Currently amended) The system of claim 435, wherein the computer system ~~is further programmed to determine~~ whether at least one of the first user identity and the second user identity, individually, is censored from sending in the communications data ~~[[re]]presenting~~ at least one of ~~[[a]]~~ the pointer, the video, ~~[[a]]~~ the graphic, or the multimedia, and

facilitates sending the communications that are not censored from the sending.

415. (Currently amended) The system of claim 380, wherein the computer system ~~is further programmed to~~ determines whether at least one of the first user identity and the second user identity, individually, is censored from sending the communications data ~~presenting~~ at least one of ~~the~~ the pointer, ~~the~~ video, ~~the~~ the graphic, or ~~the~~ multimedia, and

facilitating sending the communications that are not censored from the sending.

416. (Currently amended) The system of claim 381, wherein the computer system ~~is further programmed to~~ determines whether at least one of the first user identity and the second user identity, individually, is censored from sending in the communications data ~~presenting~~ at least one of ~~the~~ the pointer, ~~the~~ video, ~~the~~ the graphic, or ~~the~~ multimedia, and

facilitates sending the communications that are not censored from the sending.

417. (Currently amended) The system of claim 382, wherein the computer system ~~is further programmed to~~ determines whether at least one of the first user identity and the second user identity, individually, is censored from sending in the communications data ~~presenting~~ at least one of ~~the~~ the pointer, ~~the~~ video, ~~the~~ the graphic, or ~~the~~ multimedia, and

facilitates sending the communications that are not censored from the sending.

418. (Currently amended) The system of claim 383, wherein the computer system ~~is further programmed to~~ determines whether at least one of the first user identity and

the second user identity, individually, is censored from sending in the communications data
[[re]]presenting at least one of [[a]] the pointer, the video, [[a]] the graphic, or the multimedia,
and

facilitates sending the communications that are not censored from the sending.

419. (Currently amended) The system of claim 384, wherein the computer system ~~is further programmed to~~ determines whether at least one of the first user identity and the second user identity, individually, is censored from sending in the communications data
[[re]]presenting at least one of [[a]] the pointer, the video, [[a]] the graphic, or the multimedia,
and

facilitates sending the communications that are not censored from the sending.

420. (Currently amended) The system of claim 385, wherein the computer system ~~is further programmed to~~ determines whether at least one of the first user identity and the second user identity, individually, is censored from sending in the communications data
[[re]]presenting at least one of [[a]] the pointer, the video, [[a]] the graphic, or the multimedia,
and

facilitates sending the communications that are not censored from the sending.

421. (Currently amended) The system of claim 386, wherein the computer system ~~is further programmed to~~ determines whether at least one of the first user identity and the second user identity, individually, is censored from sending in the communications data
[[re]]presenting at least one of [[a]] the pointer, the video, [[a]] the graphic, or the multimedia,
and

facilitates sending the communications that are not censored from the sending.

422. (Currently amended) The system of claim 387, wherein the computer system ~~is further programmed to~~ determines whether at least one of the first user identity and the second user identity, individually, is censored from sending in the communications data ~~[[re]]~~presenting at least one of ~~[[a]]~~ the pointer, the video, ~~[[a]]~~ the graphic, or the multimedia, and

facilitates sending the communications that are not censored from the sending.

423. (Currently amended) The system of claim 388, wherein the computer system ~~is further programmed to~~ determines whether at least one of the first user identity and the second user identity, individually, is censored from sending in the communications data ~~[[re]]~~presenting at least one of ~~[[a]]~~ the pointer, the video, ~~[[a]]~~ the graphic, or the multimedia, and

facilitates sending the communications that are not censored from the sending.

424. (Currently amended) The system of claim 389, wherein the computer system ~~is further programmed to~~ determines whether at least one of the first user identity and the second user identity, individually, is censored from sending in the communications data ~~[[re]]~~presenting at least one of ~~[[a]]~~ the pointer, the video, ~~[[a]]~~ the graphic, or the multimedia, and

facilitates sending the communications that are not censored from the sending.

425. (Currently amended) The system of claim 390, wherein the computer system ~~is further programmed to~~ determines whether at least one of the first user identity and the second user identity, individually, is censored from sending in the communications data

[[re]]presenting at least one of [[a]] the pointer, the video, [[a]] the graphic, or the multimedia,
and

facilitates sending the communications that are not censored from the sending.

426. (Currently amended) The system of claim 391, wherein the computer system ~~is further programmed to~~ determines whether at least one of the first user identity and the second user identity, individually, is censored from sending in the communications data [[re]]presenting at least one of [[a]] the pointer, the video, [[a]] the graphic, or the multimedia,
and

facilitates sending the communications that are not censored from the sending.

427. (Currently amended) The system of claim 392, wherein the computer system ~~is further programmed to~~ determines whether at least one of the first user identity and the second user identity, individually, is censored from sending in the communications data [[re]]presenting at least one of [[a]] the pointer, the video, [[a]] the graphic, or the multimedia,
and

facilitates sending the communications that are not censored from the sending.

428. (Currently amended) The system of claim 393, wherein the computer system ~~is further programmed to~~ determines whether at least one of the first user identity and the second user identity, individually, is censored from sending in the communications data [[re]]presenting at least one of [[a]] the pointer, the video, [[a]] the graphic, or the multimedia,
and

facilitates sending the communications that are not censored from the sending.

429. (Currently amended) The system of claim 394, wherein the computer system ~~is further programmed to~~ determines whether at least one of the first user identity and the second user identity, individually, is censored from sending in the communications data ~~[[re]]presenting~~ at least one of ~~[[a]]~~ the pointer, the video, ~~[[a]]~~ the graphic, or the multimedia, and

facilitates sending the communications that are not censored from the sending.

430. (Currently amended) The system of claim 395, wherein the computer system ~~is further programmed to~~ determines whether at least one of the first user identity and the second user identity, individually, is censored from sending in the communications data ~~[[re]]presenting~~ at least one of ~~[[a]]~~ the pointer, the video, ~~[[a]]~~ the graphic, or the multimedia, and

facilitates sending the communications that are not censored from the sending.

431. (Currently amended) The system of claim 435, wherein the computer system facilitates receiving the communications that are sent from the first participator computer to the second participator computer that include at least one Internet URL, and wherein the computer system finds the content specified by the Internet URL and facilitates presenting the content to the output device ~~wherein at least one of the communications includes at least one of text or ascii.~~

432. (Currently amended) The system of claim 380, wherein the computer system facilitates receiving the communications that are sent from the first participator computer to the second participator computer that include at least one Internet URL, and wherein the computer system finds the content specified by the Internet URL and facilitates

presenting the content to the output device wherein at least one of the communications includes at least one of text or ascii.

433. (Currently amended) The system of claim 381, wherein the computer system facilitates receiving the communications that are sent from the first participator computer to the second participator computer that include at least one Internet URL, and wherein the computer system finds the content specified by the Internet URL and facilitates presenting the content to the output device wherein at least one of the communications includes at least one of text or ascii.

434. (Currently amended) The system of claim 382, wherein the computer system facilitates receiving the communications that are sent from the first participator computer to the second participator computer that include at least one Internet URL, and wherein the computer system finds the content specified by the Internet URL and facilitates presenting the content to the output device wherein at least one of the communications includes at least one of text or ascii.

435. (Currently amended) A system to communicate over an Internet network, the system including:

~~—— a plurality of computers connected to a computer system, each of the plurality of computers being connected to a respective input device and a respective output device, the computer system being programmed to: form a group, responsive to each of the plurality of computers sending a respective login name and a password corresponding to a respective user identity, each said user identity corresponding to a respective particular user's stored access rights, the group corresponding to a first of the user identities and a second of the user~~

~~identities, each member of the group being capable of sending and receiving communications in real time, a computer system including a controller computer and a database which serves as a repository of tokens for other programs to access, thereby affording information to each of a plurality of participator computers which are otherwise independent of each other, the controller computer system in communication with a first of the participator computers responsive to a first authenticated user identity and with a second of the participator computers responsive to a second authenticated user identity, wherein the computer system:~~

~~_____ determines whether the first user identity and the second of the user identity are able to form a group to send and to receive communications; and~~

~~_____ determines whether the first user identity is censored from data in the communications, the data presenting at least one of a pointer, video, audio, a graphic, or multimedia; and~~

~~_____ if the user identities are determined to be able to form the group, forms the group and facilitates receiving the communications that are sent and not censored from the second participator computer to the first participator computer, wherein the receiving is in real time and via the Internet network; and~~

~~_____ if the first user identity is censored from the data, does not facilitate the data that is censored to be presented from the second participator computer to an output device corresponding to the first participator computer.~~

~~_____ determine whether at least one of the first user identity and the second user identity, individually, is censored by the corresponding user's stored access rights from data representing a pointer, video, audio, a graphic, or multimedia,~~

~~_____ cause the plurality of computers in the group to receive, in real time via the Internet network, the communications that are not censored, and~~

~~_____ cause any of the plurality of computers in the group to not present the data that~~

is censored to the corresponding output device.

436. (Currently amended) The system of claim 383, wherein the computer system facilitates receiving the communications that are sent from the first participator computer to the second participator computer that include at least one Internet URL, and wherein the computer system finds the content specified by the Internet URL and facilitates presenting the content to the output device ~~wherein at least one of the communications includes at least one of text or ascii.~~

437. (Currently amended) The system of claim 384, wherein the computer system facilitates receiving the communications that are sent from the first participator computer to the second participator computer that include at least one Internet URL, and wherein the computer system finds the content specified by the Internet URL and facilitates presenting the content to the output device ~~wherein at least one of the communications includes at least one of text or ascii.~~

438. (Currently amended) The system of claim 385, wherein the computer system facilitates receiving the communications that are sent from the first participator computer to the second participator computer that include at least one Internet URL, and wherein the computer system finds the content specified by the Internet URL and facilitates presenting the content to the output device ~~wherein at least one of the communications includes at least one of text or ascii.~~

439. (Currently amended) The system of claim 386, wherein the computer system facilitates receiving the communications that are sent from the first participator

computer to the second participator computer that include at least one Internet URL, and
wherein the computer system finds the content specified by the Internet URL and facilitates
presenting the content to the output device ~~wherein at least one of the communications includes~~
~~at least one of text or ascii.~~

440. (Currently amended) The system of claim 387, wherein the computer
system facilitates receiving the communications that are sent from the first participator
computer to the second participator computer that include at least one Internet URL, and
wherein the computer system finds the content specified by the Internet URL and facilitates
presenting the content to the output device ~~wherein at least one of the communications includes~~
~~at least one of text or ascii.~~

441. (Currently amended) The system of claim 388, wherein the computer
system facilitates receiving the communications that are sent from the first participator
computer to the second participator computer that include at least one Internet URL, and
wherein the computer system finds the content specified by the Internet URL and facilitates
presenting the content to the output device ~~wherein at least one of the communications includes~~
~~at least one of text or ascii.~~

442. (Currently amended) The system of claim 389, wherein the computer
system facilitates receiving the communications that are sent from the first participator
computer to the second participator computer that include at least one Internet URL, and
wherein the computer system finds the content specified by the Internet URL and facilitates
presenting the content to the output device ~~wherein at least one of the communications includes~~
~~at least one of text or ascii.~~

443. (Currently amended) The system of claim 390, wherein the computer system facilitates receiving the communications that are sent from the first participator computer to the second participator computer that include at least one Internet URL, and wherein the computer system finds the content specified by the Internet URL and facilitates presenting the content to the output device ~~wherein at least one of the communications includes at least one of text or ascii.~~

444. (Currently amended) The system of claim 391, wherein the computer system facilitates receiving the communications that are sent from the first participator computer to the second participator computer that include at least one Internet URL, and wherein the computer system finds the content specified by the Internet URL and facilitates presenting the content to the output device ~~wherein at least one of the communications includes at least one of text or ascii.~~

445. (Currently amended) The system of claim 392, wherein the computer system facilitates receiving the communications that are sent from the first participator computer to the second participator computer that include at least one Internet URL, and wherein the computer system finds the content specified by the Internet URL and facilitates presenting the content to the output device ~~wherein at least one of the communications includes at least one of text or ascii.~~

446. (Currently amended) The system of claim 393, wherein the computer system facilitates receiving the communications that are sent from the first participator computer to the second participator computer that include at least one Internet URL, and

wherein the computer system finds the content specified by the Internet URL and facilitates presenting the content to the output device ~~wherein at least one of the communications includes at least one of text or ascii.~~

447. (Currently amended) The system of claim 394, wherein the computer system facilitates receiving the communications that are sent from the first participator computer to the second participator computer that include at least one Internet URL, and wherein the computer system finds the content specified by the Internet URL and facilitates presenting the content to the output device ~~wherein at least one of the communications includes at least one of text or ascii.~~

448. (Currently amended) The system of claim 395, wherein the computer system facilitates receiving the communications that are sent from the first participator computer to the second participator computer that include at least one Internet URL, and wherein the computer system finds the content specified by the Internet URL and facilitates presenting the content to the output device ~~wherein at least one of the communications includes at least one of text or ascii.~~

449. (Currently amended) The system of claim 435, wherein the computer system facilitates receiving the communications that are sent from the first participator computer to the second participator computer that include at least one Internet URL, and wherein the computer system finds the content specified by the Internet URL and facilitates presenting the content to the output device ~~wherein at least one of the communications includes at least one of text or ascii.~~

450. (Currently amended) The system of claim 435, wherein the computer system is ~~further~~ programmed to:

store, for the first user identity, an authorization associated with presentation of graphical data, and

based on the authorization, allow the graphical data to be presented at ~~[[the]]~~ an output device corresponding to the second user identity.

451. (Currently amended) The system of claim 435, wherein the computer system is ~~further~~ programmed to:

provide the first user identity with access to a member-associated image corresponding to the second user identity.

452. (Currently amended) The system of claim 435, wherein the computer system is ~~further~~ programmed to:

determine whether the first user identity is censored from access to a member-associated image corresponding to the second user identity,

if the first user identity is censored, not allowing access to member-associated image, and

if the first user identity is not censored, allow access to the member-associated image.

453. (Currently amended) The system of claim 435, wherein ~~the data represents a pointer that a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from

receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

454. (Currently amended) The system of claim 380, wherein ~~the data~~ represents a pointer ~~that a pointer-triggered message on-demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

455. (Currently amended) The system of claim 385, wherein ~~the data~~ represents a pointer ~~that a pointer-triggered message on-demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

456. (Currently amended) The system of claim 386, wherein ~~the data~~ represents a pointer ~~that a pointer-triggered message on-demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the

communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

457. (Currently amended) The system of claim 387, wherein ~~the data represents a pointer that a pointer-triggered message on-demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

458. (Currently amended) The system of claim 391, wherein ~~the data represents a pointer that a pointer-triggered message on-demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

459. (Currently amended) The system of claim 392, wherein ~~the data represents a pointer that a pointer-triggered message on-demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

460. (Currently amended) The system of claim 393, wherein ~~the data represents a pointer that a pointer-triggered message on-demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

461. (Currently amended) The system of claim 395, wherein ~~the data represents a pointer that a pointer-triggered message on-demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

462. (Currently amended) The system of claim 396, wherein ~~the data represents a pointer that a pointer-triggered message on-demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

463. (Currently amended) The system of claim 397, wherein ~~the data~~ represents a pointer that a pointer-triggered message on-demand the computer system associates each said user identity in the group with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

464. (Currently amended) The system of claim 402, wherein ~~the data~~ represents a pointer that a pointer-triggered message on-demand the computer system associates each said user identity in the group with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

465. (Currently amended) The system of claim 403, wherein ~~the data~~ represents a pointer that a pointer-triggered message on-demand the computer system associates each said user identity in the group with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

466. (Currently amended) The system of claim 404, wherein ~~the data~~

~~represents a pointer that a pointer-triggered message on-demand~~ the computer system
associates each said user identity in the group with a respective particular user's stored access
rights, which determine whether the corresponding said user identity is censored from
receiving, and whether the corresponding said user identity is censored from sending, in the
communications, data presenting at least one of a pointer, video, audio, a graphic, or
multimedia.

467. (Currently amended) The system of claim 408, wherein ~~the data~~
~~represents a pointer that a pointer-triggered message on-demand~~ the computer system
associates each said user identity in the group with a respective particular user's stored access
rights, which determine whether the corresponding said user identity is censored from
receiving, and whether the corresponding said user identity is censored from sending, in the
communications, data presenting at least one of a pointer, video, audio, a graphic, or
multimedia.

468. (Currently amended) The system of claim 410, wherein ~~the data~~
~~represents a pointer that a pointer-triggered message on-demand~~ the computer system
associates each said user identity in the group with a respective particular user's stored access
rights, which determine whether the corresponding said user identity is censored from
receiving, and whether the corresponding said user identity is censored from sending, in the
communications, data presenting at least one of a pointer, video, audio, a graphic, or
multimedia.

469. (Currently amended) The system of claim 411, wherein ~~the data~~
~~represents a pointer that a pointer-triggered message on-demand~~ the computer system

associates each said user identity in the group with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

470. (Currently amended) The system of claim 413, wherein ~~the data represents a pointer that a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

471. (Currently amended) The system of claim 414, wherein ~~the data that is censored from sending represents a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

472. (Currently amended) The system of claim 415, wherein ~~the data that is censored from sending represents a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective

particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

473. (Currently amended) The system of claim 420, wherein ~~the data that is censored from sending represents a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

474. (Currently amended) The system of claim 421, wherein ~~the data that is censored from sending represents a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

475. (Currently amended) The system of claim 422, wherein ~~the data that is censored from sending represents a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, which determine whether the corresponding said user

identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

476. (Currently amended) The system of claim 426, wherein ~~the data that is censored from sending~~ represents a pointer that produces a pointer-triggered message on demand the computer system associates each said user identity in the group with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

477. (Currently amended) The system of claim 427, wherein ~~the data that is censored from sending~~ represents a pointer that produces a pointer-triggered message on demand the computer system associates each said user identity in the group with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

478. (Currently amended) The system of claim 428, wherein ~~the data that is censored from sending~~ represents a pointer that produces a pointer-triggered message on demand the computer system associates each said user identity in the group with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is

censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

479. (Currently amended) The system of claim 430, wherein ~~the data that is censored from sending represents a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

480. (Currently amended) The system of claim 431, wherein ~~the data that is censored from sending represents a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

481. (Currently amended) The system of claim 432, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

482. (Currently amended) The system of claim 438, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

483. (Currently amended) The system of claim 439, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

484. (Currently amended) The system of claim 440, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

485. (Currently amended) The system of claim 444, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, and

whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

486. (Currently amended) The system of claim 445, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

487. (Currently amended) The system of claim 446, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

488. (Currently amended) The system of claim 448, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

489. (Currently amended) The system of claim 449, wherein ~~the pointer is a~~

~~pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

490. (Currently amended) The system of claim 450, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

491. (Currently amended) The system of claim 451, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

492. (Currently amended) The system of claim 452, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications,

data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

493. (Currently amended) The system of claim 604, wherein the data
[[re]]presents [[a]] the pointer.

494. (Currently amended) The system of claim 604, wherein data [[re]]presents
the video.

495. (Currently amended) The system of claim 604, wherein the data
[[re]]presents the audio.

496. (Currently amended) The system of claim 604, wherein the data
[[re]]presents [[a]] the graphic.

497. (Currently amended) The system of claim 604, wherein the data
[[re]]presents the multimedia.

498. (Currently amended) The system of claim 604, wherein the data
[[re]]presents [[a]] the pointer and the video.

499. (Currently amended) The system of claim 604, wherein the data
[[re]]presents [[a]] the pointer and the audio.

500. (Currently amended) The system of claim 604, wherein the data
[[re]]presents [[a]] the pointer and [[a]] the graphic.

501. (Currently amended) The system of claim 604, wherein the data
[[re]]presents the video and the audio.

502. (Currently amended) The system of claim 604, wherein the data
[[re]]presents the video and [[a]] the graphic.

503. (Cancelled)

504. (Currently amended) The system of claim 604, wherein the data
[[re]]presents [[a]] the pointer and the video and [[a]] the audio.

505. (Currently amended) The system of claim 604, wherein the data
[[re]]presents [[a]] the pointer and the video and [[a]] the graphic.

506. (Currently amended) The system of claim 604, wherein the data
[[re]]presents [[a]] the pointer and the audio and [[a]] the graphic.

507. (Currently amended) The system of claim 604, wherein the data
[[re]]presents the video and the audio and [[a]] the graphic.

508. (Currently amended) The system of claim 604, wherein the data
[[re]]presents [[a]] the pointer and the video and the audio and [[a]] the graphic.

509. (Currently amended) The system of claim 604, wherein the computer
system facilitates receiving the communications that are sent from the first participator

computer to the second participator computer that include at least one Internet URL, and
wherein the computer system finds the content specified by the Internet URL and facilitates
presenting the content to an output device corresponding to the second participator computer
~~wherein at least one of the communications includes at least one of text or ascii.~~

510. (Currently amended) The system of claim 493, wherein the computer
system facilitates receiving the communications that are sent from the first participator
computer to the second participator computer that include at least one Internet URL, and
wherein the computer system finds the content specified by the Internet URL and facilitates
presenting the content to an output device corresponding to the second participator computer
~~wherein at least one of the communications includes at least one of text or ascii.~~

511. (Currently amended) The system of claim 494 wherein the computer
system facilitates receiving the communications that are sent from the first participator
computer to the second participator computer that include at least one Internet URL, and
wherein the computer system finds the content specified by the Internet URL and facilitates
presenting the content to an output device corresponding to the second participator computer
~~wherein at least one of the communications includes at least one of text or ascii.~~

512. (Currently amended) The system of claim 495, wherein the computer
system facilitates receiving the communications that are sent from the first participator
computer to the second participator computer that include at least one Internet URL, and
wherein the computer system finds the content specified by the Internet URL and facilitates
presenting the content to an output device corresponding to the second participator computer
~~wherein at least one of the communications includes at least one of text or ascii.~~

513. (Currently amended) The system of claim 496, wherein the computer system facilitates receiving the communications that are sent from the first participator computer to the second participator computer that include at least one Internet URL, and wherein the computer system finds the content specified by the Internet URL and facilitates presenting the content to an output device corresponding to the second participator computer ~~wherein at least one of the communications includes at least one of text or ascii.~~

514. (Currently amended) The system of claim 497, wherein the computer system facilitates receiving the communications that are sent from the first participator computer to the second participator computer that include at least one Internet URL, and wherein the computer system finds the content specified by the Internet URL and facilitates presenting the content to an output device corresponding to the second participator computer ~~wherein at least one of the communications includes at least one of text or ascii.~~

515. (Currently amended) The system of claim 498, wherein the computer system facilitates receiving the communications that are sent from the first participator computer to the second participator computer that include at least one Internet URL, and wherein the computer system finds the content specified by the Internet URL and facilitates presenting the content to an output device corresponding to the second participator computer ~~wherein at least one of the communications includes at least one of text or ascii.~~

516. (Currently amended) The system of claim 499, wherein the computer system facilitates receiving the communications that are sent from the first participator computer to the second participator computer that include at least one Internet URL, and wherein the computer system finds the content specified by the Internet URL and facilitates

presenting the content to an output device corresponding to the second participator computer
~~wherein at least one of the communications includes at least one of text or ascii.~~

517. (Currently amended) The system of claim 500, wherein the computer
system facilitates receiving the communications that are sent from the first participator
computer to the second participator computer that include at least one Internet URL, and
wherein the computer system finds the content specified by the Internet URL and facilitates
presenting the content to an output device corresponding to the second participator computer
~~wherein at least one of the communications includes at least one of text or ascii.~~

518. (Currently amended) The system of claim 501, wherein the computer
system facilitates receiving the communications that are sent from the first participator
computer to the second participator computer that include at least one Internet URL, and
wherein the computer system finds the content specified by the Internet URL and facilitates
presenting the content to an output device corresponding to the second participator computer
~~wherein at least one of the communications includes at least one of text or ascii.~~

519. (Currently amended) The system of claim 502, wherein the computer
system facilitates receiving the communications that are sent from the first participator
computer to the second participator computer that include at least one Internet URL, and
wherein the computer system finds the content specified by the Internet URL and facilitates
presenting the content to an output device corresponding to the second participator computer
~~wherein at least one of the communications includes at least one of text or ascii.~~

520. (Cancelled)

521. (Currently amended) The system of claim 504, wherein the computer system facilitates receiving the communications that are sent from the first participator computer to the second participator computer that include at least one Internet URL, and wherein the computer system finds the content specified by the Internet URL and facilitates presenting the content to an output device corresponding to the second participator computer ~~wherein at least one of the communications includes at least one of text or ascii.~~

522. (Currently amended) The system of claim 505, wherein the computer system facilitates receiving the communications that are sent from the first participator computer to the second participator computer that include at least one Internet URL, and wherein the computer system finds the content specified by the Internet URL and facilitates presenting the content to an output device corresponding to the second participator computer ~~wherein at least one of the communications includes at least one of text or ascii.~~

523. (Currently amended) The system of claim 506, wherein the computer system facilitates receiving the communications that are sent from the first participator computer to the second participator computer that include at least one Internet URL, and wherein the computer system finds the content specified by the Internet URL and facilitates presenting the content to an output device corresponding to the second participator computer ~~wherein at least one of the communications includes at least one of text or ascii.~~

524. (Currently amended) The system of claim 507, wherein the computer system facilitates receiving the communications that are sent from the first participator computer to the second participator computer that include at least one Internet URL, and wherein the computer system finds the content specified by the Internet URL and facilitates

presenting the content to an output device corresponding to the second participator computer
~~wherein at least one of the communications includes at least one of text or ascii.~~

525. (Currently amended) The system of claim 508, wherein the computer
system facilitates receiving the communications that are sent from the first participator
computer to the second participator computer that include at least one Internet URL, and
wherein the computer system finds the content specified by the Internet URL and facilitates
presenting the content to an output device corresponding to the second participator computer
~~wherein at least one of the communications includes at least one of text or ascii.~~

526. (Currently amended) The system of claim 604, wherein the computer
system ~~is further programmed to~~ determines whether at least one of the communications is
censored based on content.

527. (Currently amended) The system of claim 493, wherein the computer
system ~~is further programmed to~~ determines whether at least one of the communications is
censored based on content.

528. (Currently amended) The system of claim 494, wherein the computer
system ~~is further programmed to~~ determines whether at least one of the communications is
censored based on content.

529. (Currently amended) The system of claim 495, wherein the computer
system ~~is further programmed to~~ determines whether at least one of the communications is
censored based on content.

530. (Currently amended) The system of claim 496, wherein the computer system ~~is further programmed to~~ determines whether at least one of the communications is censored based on content.

531. (Currently amended) The system of claim 497, wherein the computer system ~~is further programmed to~~ determines whether at least one of the communications is censored based on content.

532. (Currently amended) The system of claim 498, wherein the computer system ~~is further programmed to~~ determines whether at least one of the communications is censored based on content.

533. (Currently amended) The system of claim 499, wherein the computer system ~~is further programmed to~~ determines whether at least one of the communications is censored based on content.

534. (Currently amended) The system of claim 500, wherein the computer system ~~is further programmed to~~ determines whether at least one of the communications is censored based on content.

535. (Currently amended) The system of claim 501, wherein the computer system ~~is further programmed to~~ determines whether at least one of the communications is censored based on content.

536. (Currently amended) The system of claim 502, wherein the computer

system ~~is further programmed to~~ determines whether at least one of the communications is censored based on content.

537. (Cancelled)

538. (Currently amended) The system of claim 504, wherein the computer system ~~is further programmed to~~ determines whether at least one of the communications is censored based on content.

539. (Currently amended) The system of claim 505, wherein the computer system ~~is further programmed to~~ determines whether at least one of the communications is censored based on content.

540. (Currently amended) The system of claim 506, wherein the computer system ~~is further programmed to~~ determines whether at least one of the communications is censored based on content.

541. (Currently amended) The system of claim 507, wherein the computer system ~~is further programmed to~~ determines whether at least one of the communications is censored based on content.

542. (Currently amended) The system of claim 508, wherein the computer system ~~is further programmed to~~ determines whether at least one of the communications is censored based on content.

543. (Previously presented) The system of claim 604, wherein at least one of the communications includes a human communication of sound.

544. (Previously presented) The system of claim 493, wherein at least one of the communications includes a human communication of sound.

545. (Previously presented) The system of claim 494, wherein at least one of the communications includes a human communication of sound.

546. (Previously presented) The system of claim 495, wherein at least one of the communications includes a human communication of sound.

547. (Previously presented) The system of claim 496, wherein at least one of the communications includes a human communication of sound.

548. (Previously presented) The system of claim 497, wherein at least one of the communications includes a human communication of sound.

549. (Previously presented) The system of claim 498, wherein at least one of the communications includes a human communication of sound.

550. (Previously presented) The system of claim 499, wherein at least one of the communications includes a human communication of sound.

551. (Previously presented) The system of claim 500, wherein at least one of

the communications includes a human communication of sound.

552. (Previously presented) The system of claim 501, wherein at least one of the communications includes a human communication of sound.

553. (Previously presented) The system of claim 502, wherein at least one of the communications includes a human communication of sound.

554. (Cancelled)

555. (Previously presented) The system of claim 504, wherein at least one of the communications includes a human communication of sound.

556. (Previously presented) The system of claim 505, wherein at least one of the communications includes a human communication of sound.

557. (Previously presented) The system of claim 506, wherein at least one of the communications includes a human communication of sound.

558. (Previously presented) The system of claim 507, wherein at least one of the communications includes a human communication of sound.

559. (Previously presented) The system of claim 508, wherein at least one of the communications includes a human communication of sound.

560. (Currently amended) The system of claim 604, wherein the computer system ~~is further programmed to determine~~ s from access rights stored by user that whether neither of the first user identity and the second user identity is censored from the group.

561. (Currently amended) The system of claim 493, wherein the computer system ~~is further programmed to determine~~ s from access rights stored by user that whether neither of the first user identity and the second user identity is censored from the group.

562. (Currently amended) The system of claim 494, wherein the computer system ~~is further programmed to determine~~ s from access rights stored by user that whether neither of the first user identity and the second user identity is censored from the group.

563. (Currently amended) The system of claim 495, wherein the computer system ~~is further programmed to determine~~ s from access rights stored by user that whether neither of the first user identity and the second user identity is censored from the group.

564. (Currently amended) The system of claim 496, wherein the computer system ~~is further programmed to determine~~ s from access rights stored by user that whether neither of the first user identity and the second user identity is censored from the group.

565. (Currently amended) The system of claim 497, wherein the computer system ~~is further programmed to determine~~ s from access rights stored by user that whether neither of the first user identity and the second user identity is censored from the group.

566. (Currently amended) The system of claim 498, wherein the computer

system ~~is further programmed to~~ determines from access rights stored by user that whether
neither of the first user identity and the second user identity is censored from the group.

567. (Currently amended) The system of claim 499, wherein the computer
system ~~is further programmed to~~ determines from access rights stored by user that whether
neither of the first user identity and the second user identity is censored from the group.

568. (Currently amended) The system of claim 500, wherein the computer
system ~~is further programmed to~~ determines from access rights stored by user that whether
neither of the first user identity and the second user identity is censored from the group.

569. (Currently amended) The system of claim 501, wherein the computer
system ~~is further programmed to~~ determines from access rights stored by user that whether
neither of the first user identity and the second user identity is censored from the group.

570. (Currently amended) The system of claim 502, wherein the computer
system ~~is further programmed to~~ determines from access rights stored by user that whether
neither of the first user identity and the second user identity is censored from the group.

571. (Cancelled)

572. (Currently amended) The system of claim 504, wherein the computer
system ~~is further programmed to~~ determines from access rights stored by user that whether
neither of the first user identity and the second user identity is censored from the group.

573. (Currently amended) The system of claim 505, wherein the computer system ~~is further programmed to determine~~ from access rights stored by user that whether neither of the first user identity and the second user identity is censored from the group.

574. (Currently amended) The system of claim 506, wherein the computer system ~~is further programmed to determine~~ from access rights stored by user that whether neither of the first user identity and the second user identity is censored from the group.

575. (Currently amended) The system of claim 507, wherein the computer system ~~is further programmed to determine~~ from access rights stored by user that whether neither of the first user identity and the second user identity is censored from the group.

576. (Currently amended) The system of claim 508, wherein the computer system ~~is further programmed to determine~~ from access rights stored by user that whether neither of the first user identity and the second user identity is censored from the group.

577. (Currently amended) The system of claim 604, wherein the computer system ~~is further programmed to determine~~ from access rights stored by user that whether neither of the first user identity and the second user identity is censored from the group.

578. (Currently amended) The system of claim 604, wherein the computer system is ~~further~~ programmed to:

store, for the first user identity, an authorization associated with presentation of graphical data; and

based on the authorization, allow the graphical data to be presented at the

output device corresponding to the second user identity.

579. (Currently amended) The system of claim 604, wherein the computer system is ~~further~~ programmed to:

provide the first user identity with access to a member-associated image corresponding to the second user identity.

580. (Currently amended) The system of claim 604, wherein the computer system is ~~further~~ programmed to:

determine whether the first user identity is censored from access to a member-associated image corresponding to the second user identity,

if the first user identity is censored, not allow access to the member-associated image, and

if the first user identity is not censored, allow access to the member-associated image.

581. (Currently amended) The system of claim 604, wherein ~~the data represents a pointer that a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, and determines whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

582. (Currently amended) The system of claim 493, wherein ~~the data~~

~~represents a pointer that a pointer-triggered message on demand~~ the computer system
associates each said user identity in the group with a respective particular user's stored access
rights, and determines whether the corresponding said user identity is censored from receiving,
and whether the corresponding said user identity is censored from sending, in the
communications, data presenting at least one of a pointer, video, audio, a graphic, or
multimedia.

583. (Currently amended) The system of claim 498, wherein ~~the data~~
~~represents a pointer that a pointer-triggered message on demand~~ the computer system
associates each said user identity in the group with a respective particular user's stored access
rights, and determines whether the corresponding said user identity is censored from receiving,
and whether the corresponding said user identity is censored from sending, in the
communications, data presenting at least one of a pointer, video, audio, a graphic, or
multimedia.

584. (Currently amended) The system of claim 499, wherein ~~the pointer is a~~
~~pointer that produces a pointer-triggered message on demand~~ the computer system associates
each said user identity in the group with a respective particular user's stored access rights, and
determines whether the corresponding said user identity is censored from receiving, and
whether the corresponding said user identity is censored from sending, in the communications,
data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

585. (Currently amended) The system of claim 500, wherein ~~the pointer is a~~
~~pointer that produces a pointer-triggered message on demand~~ the computer system associates
each said user identity in the group with a respective particular user's stored access rights, and

determines whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

586. (Currently amended) The system of claim 504, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, and determines whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

587. (Currently amended) The system of claim 505, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, and determines whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

588. (Currently amended) The system of claim 506, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, and determines whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

589. (Currently amended) The system of claim 508, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, and determines whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

590. (Currently amended) The system of claim 509, wherein ~~the data represents a pointer that a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, and determines whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

591. (Currently amended) The system of claim 510, wherein ~~the data represents a pointer that a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, and determines whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

592. (Currently amended) The system of claim 516, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, and

determines whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

593. (Currently amended) The system of claim 517, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, and determines whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

594. (Currently amended) The system of claim 521, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, and determines whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

595. (Currently amended) The system of claim 522, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, and determines whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

596. (Currently amended) The system of claim 523, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, and determines whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

597. (Currently amended) The system of claim 525, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, and determines whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

598. (Currently amended) The system of claim 526, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, and determines whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

599. (Cancelled)

600. (Currently amended) The system of claim 527, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates

each said user identity in the group with a respective particular user's stored access rights, and determines whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

601. (Currently amended) The system of claim 532, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, and determines whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

602. (Currently amended) The system of claim 533, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, and determines whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

603. (Currently amended) The system of claim 534, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, and determines whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

604. (Currently amended) An Internet network communications system, the system including:

a computer system including a controller computer and a database which serves as a repository of tokens for other programs to access, thereby affording information to each of a plurality of participator computers which are otherwise independent of each other, the controller computer system in communication with a first of the participator computers responsive to a first authenticated user identity and with a second of the participator computers responsive to a second authenticated user identity, wherein the computer system

determines whether the first user identity and the second of the user identity are able to form a group to send and to receive communications; and

determines whether the first user identity, is censored from sending data in the communications, the data presenting at least one of a pointer, video, audio, a graphic, or multimedia; and

if the user identities are determined to be able to form the group, forms the group and facilitates sending the communications that are not censored from the first participator computer to the second participator computer, wherein the sending is in real time and via the Internet network; and

if the first user identity is censored from sending the data, does not facilitate sending the data that is censored from the first participator computer to the second participator computer.

~~a plurality of computers connected, responsive to each of the plurality of computers sending a respective login name and password corresponding to a respective user identity, to a computer system programmed to:~~

~~————— form a group corresponding to a first of the user identities and a second of the user identities, each member of the group being capable of sending and receiving~~

communications in real time, and

~~determine whether at least one of the first user identity and the second user identity, individually, is censored from sending data within the communications, the data representing at least one of a pointer, video, audio, a graphic, or multimedia,~~

~~wherein the plurality of computers receives in real time and via the Internet network the communications that are not censored based on the individual user identity and do not send the data that is censored based on the individual user identity.~~

605. (Currently amended) The system of claim 538, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, and determines whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

606. (Currently amended) The system of claim 539, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, and determines whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

607. (Currently amended) The system of claim 540, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, and

determines whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

608. (Currently amended) The system of claim 542, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, and determines whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

609. (Currently amended) The system of claim 543, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, and determines whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

610. (Currently amended) The system of claim 544, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, and determines whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

611. (Currently amended) The system of claim 549, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, and determines whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

612. (Currently amended) The system of claim 550, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, and determines whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

613. (Currently amended) The system of claim 551, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, and determines whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

614. (Currently amended) The system of claim 555, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, and determines whether the corresponding said user identity is censored from receiving, and

whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

615. (Currently amended) The system of claim 556, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, and determines whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

616. (Currently amended) The system of claim 557, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, and determines whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

617. (Currently amended) The system of claim 559, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, and determines whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

618. (Currently amended) The system of claim 560, wherein ~~the pointer is a~~

~~pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, and determines whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

619. (Currently amended) The system of claim 561, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, and determines whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

620. (Currently amended) The system of claim 566, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, and determines whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

621. (Currently amended) The system of claim 567, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, and determines whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications,

data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

622. (Currently amended) The system of claim 568, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, and determines whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

623. (Currently amended) The system of claim 572, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, and determines whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

624. (Currently amended) The system of claim 573, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, and determines whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

625. (Currently amended) The system of claim 574, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates

each said user identity in the group with a respective particular user's stored access rights, and determines whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

626. (Currently amended) The system of claim 576, wherein ~~the pointer is a pointer that produces a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, and determines whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

627. (Currently amended) The system of claim 577, wherein ~~the data represents a pointer that a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, and determines whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

628. (Currently amended) The system of claim 578, wherein ~~the data represents a pointer that a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, and determines whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the

communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

629. (Currently amended) The system of claim 579, wherein ~~the data represents a pointer that a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, and determines whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

630. (Currently amended) The system of claim 580 wherein ~~the data represents a pointer that a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, and determines whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

631. (Currently amended) The system of claim 515, wherein ~~the data represents a pointer that a pointer-triggered message on demand~~ the computer system associates each said user identity in the group with a respective particular user's stored access rights, and determines whether the corresponding said user identity is censored from receiving, and whether the corresponding said user identity is censored from sending, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

632. - 725. (Cancelled)

726. (Currently amended) The method of claim 884, wherein at least one of the communications includes data ~~[[re]]~~presenting sound.

727. (Currently amended) The method of claim 884, wherein at least one of the communications includes data ~~[[re]]~~presenting video.

728. (Currently amended) The method of claim 884, wherein at least one of the communications includes data ~~[[re]]~~presenting sound and video.

729. (Currently amended) The method of claim 884, further including:
storing, for the first user identity, an authorization associated with presentation of graphical multimedia; and

based on the authorization, ~~presenting~~allowing presentation of the graphical multimedia at ~~one of the plurality of~~ participator computer~~[[s]]~~ corresponding to the second user identity.

730. (Currently amended) The method of claim 726, further including:
storing, for the first user identity, an authorization associated with presentation of graphical multimedia; and

based on the authorization, ~~presenting~~allowing presentation of the graphical multimedia at ~~one of the plurality of~~ participator computer~~[[s]]~~ corresponding to the second user identity.

731. (Currently amended) The method of claim 727, further including:
storing, for the first user identity, an authorization associated with presentation of graphical multimedia; and
based on the authorization, ~~presenting~~allowing presentation of the graphical multimedia at ~~one of the plurality of~~ participator computer[[s]] corresponding to the second user identity.

732. (Currently amended) The method of claim 884, based on the authorization, presenting the graphical multimedia data at the output device corresponding to the second user identity, and wherein one of the determining steps includes determining whether a parameter corresponding to the first user identity has been determined by a user corresponding to another of the user identities.

733. (Previously presented) The method of claim 729, wherein the graphical data includes graphical multimedia data.

734. (Currently amended) The method of claim 885, wherein at least one of the communications includes data [[re]]presenting sound.

735. (Currently amended) The method of claim 885, wherein at least one of the communications includes data [[re]]presenting video.

736. (Currently amended) The method of claim 885, wherein at least one of the communications includes data [[re]]presenting sound and video.

737. (Currently amended) The method of claim 885, further including:

storing, for the first user identity, an authorization associated with presentation of graphical multimedia; and

based on the authorization, ~~presenting~~allowing presentation of the graphical multimedia at ~~one of the plurality of~~ participator computer[[s]] corresponding to the second user identity.

738. (Currently amended) The method of claim 734, further including:

storing, for the first user identity, an authorization associated with presentation of graphical multimedia; and

based on the authorization, ~~presenting~~allowing presentation of the graphical multimedia at ~~one of the plurality of~~ participator computer[[s]] corresponding to the second user identity.

739. (Currently amended) The method of claim 735, further including:

storing, for the first user identity, an authorization associated with presentation of graphical multimedia; and

based on the authorization, ~~presenting~~allowing presentation of the graphical multimedia at ~~one of the plurality of~~ participator computer[[s]] corresponding to the second user identity.

740. (Currently amended) The method of claim 736, further including:

storing, for the first user identity, an authorization associated with presentation of graphical data; and

based on the authorization, ~~presenting~~allowing presentation of the graphical data at ~~one of the plurality of~~ participator computer[[s]] corresponding to the second user identity.

741. (Currently amended) The system of claim 891, wherein at least one of the communications includes data [[re]]presenting sound.

742. (Currently amended) The system of claim 891, wherein at least one of the communications includes data [[re]]presenting video.

743. (Currently amended) The system of claim 891, wherein at least one of the communications includes data [[re]]presenting sound and video.

744. (Currently amended) The system of claim 891, wherein the computer system ~~is further programmed to provides~~ the participator computer corresponding to the first user identity with access to a member-associated image corresponding to the second user identity.

745. (Currently amended) The system of claim 741, wherein the computer system ~~is further programmed to provides~~ the participator computer corresponding to the first user identity with access to a member-associated image corresponding to the second user identity.

746. (Currently amended) The system of claim 742, wherein the computer system ~~is further programmed to provides~~ the participator computer corresponding to the first user identity with access to a member-associated image corresponding to the second user

identity.

747. (Currently amended) The system of claim 743, wherein the computer system ~~is further programmed to provides~~ the participator computer corresponding to the first user identity with access to a member-associated image corresponding to the second user identity.

748. (Currently amended) The system of claim 892, wherein at least one of the communications includes data ~~[[re]]~~presenting sound.

749. (Currently amended) The system of claim 892, wherein at least one of the communications includes data ~~[[re]]~~presenting video.

750. (Currently amended) The system of claim 892, wherein at least one of the communications includes data ~~[[re]]~~presenting sound and video.

751. (Currently amended) The system of claim 892, wherein the computer system ~~is further programmed to provides~~ the participator computer corresponding to the first user identity with access to a member-associated image corresponding to the second user identity.

752. (Currently amended) The system of claim 748, wherein the computer system ~~is further programmed to provides~~ the participator computer corresponding to the first user identity with access to a member-associated image corresponding to the second user identity.

753. (Currently amended) The system of claim 749, wherein the computer system ~~is further programmed to provide~~ the participator computer corresponding to the first user identity with access to a member-associated image corresponding to the second user identity.

754. (Currently amended) The system of claim 750, wherein the computer system ~~is further programmed to provide~~ the participator computer corresponding to the first user identity with access to a member-associated image corresponding to the second user identity.

755. - 844. (Cancelled)

845. (Currently amended) The system of claim 877, wherein the computer system is further programmed to:

send and receive communications between members in a group, the communications including data ~~[[re]]~~presenting at least one of video, sound, a graphic, or multimedia, ~~and~~

~~receive~~ the communications being sent and received in real time via the Internet network.

846. (Currently amended) The system of claim 845, wherein the data includes data ~~[[re]]~~presenting sound.

847. (Currently amended) The system of claim 845, wherein the data includes data ~~[[re]]~~presenting video.

848. (Currently amended) The system of claim 845, wherein the data includes data ~~[[re]]~~presenting sound and video.

849. (Currently amended) The system of claim 845, wherein the computer system ~~is further programmed to provides~~ the participator computer corresponding to the first user identity with access to a member-associated image corresponding to the second user identity.

850. (Currently amended) The system of claim 846, wherein the computer system ~~is further programmed to provides~~ the participator computer corresponding to the first user identity with access to a member-associated image corresponding to the second user identity.

851. (Currently amended) The system of claim 847, wherein the computer system ~~is further programmed to provides~~ the participator computer corresponding to the first user identity with access to a member-associated image corresponding to the second user identity.

852. (Currently amended) The system of claim 848, wherein the computer system ~~is further programmed to provides~~ the participator computer corresponding to the first user identity with access to a member-associated image corresponding to the second user identity.

853. (Currently amended) The method of claim 878, further including sending and receiving communications between members in a group, the communications including data ~~[[re]]~~presenting at least one of video, sound, a graphic, or multimedia, the receiving in real

time via the Internet network.

854. (Currently amended) The method of claim 853, wherein the data
[[re]]presents sound.

855. (Currently amended) The method of claim 853, wherein the data
[[re]]presents video.

856. (Currently amended) The method of claim 853, wherein the data
[[re]]presents sound and video.

857. (Currently amended) The method of claim 878, further including sending
and receiving communications between members in a group, the communications including
data [[re]]presenting a member-associated image, sound, and video.

858. (Currently amended) The method of claim 878, further including:
store, for the first user identity, an authorization associated with presentation of
graphical multimedia; and

based on the authorization, ~~present~~facilitate presentation of the graphical
multimedia at ~~one of the plurality of participator~~ computer[[s]] corresponding to the second user
identity.

859. (Currently amended) The method of claim 853, further including:
store, for the first user identity, an authorization associated with presentation of
graphical multimedia; and

based on the authorization, ~~present~~facilitate presentation of the graphical multimedia at ~~one of the plurality of~~ participator computer[[s]] corresponding to the second user identity.

860. (Currently amended) The method of claim 854, further including:

store, for the first user identity, an authorization associated with presentation of graphical multimedia; and

based on the authorization, ~~present~~facilitate presentation of the graphical multimedia at ~~one of the plurality of~~ participator computer[[s]] corresponding to the second user identity.

861. (Currently amended) The method of claim 855, further including:

store, for the first user identity, an authorization associated with presentation of graphical multimedia; and

based on the authorization, ~~present~~facilitate presentation of the graphical multimedia ~~one of the plurality of~~ participator computer[[s]] corresponding to the second user identity.

862 - 876. (Withdrawn)

877. (Currently amended) An Internet network communication system, the system including:

~~a plurality of computers, each of the plurality of computers being connected to a respective input device and to a respective output device, the plurality of computers being connected, responsive to each of the plurality of computers sending a respective login name~~

and password corresponding to a respective user identity to a computer system programmed to:

~~store a respective particular user's access rights corresponding to each said user identity,~~ a controller computer system including a controller computer and a database which serves as a repository of tokens for other programs to access, thereby affording information to participator computers that are otherwise independent of each other, in communication with each of the participator computers responsive to a respective authenticated user identity, the computers configured so as to

respond to one of the ~~plurality of the~~ participator computers communicating a pointer in real time and via the Internet, wherein the pointer is a pointer that produces a pointer-triggered message on demand, by determining whether ~~[[a]] the first of the user identity[[ies]]y~~ is censored ~~by the user's stored access rights~~ from content in the pointer-triggered message, if the content is censored, disallow the pointer-triggered message from being presented at ~~[[the]] an~~ output device of the participator computer corresponding to the first of ~~the user identity, and~~

if the content is not censored, allow the pointer-triggered message to be presented at the output device ~~of the computer corresponding to the first of the user identities.~~

878. (Currently amended) A method of communicating via an Internet network, ~~the method including:~~

~~receiving a respective login name and password corresponding to a respective user identity, each said user identity corresponding to a respective particular user's stored access rights, the receiving being carried out so as to connect a plurality of computers to a computer system, wherein each of the plurality of computers is connected to a respective input device and to a respective output device; by using a computer system including a controller~~

computer and a database which serves as a repository of tokens for other programs to access,
thereby affording information to each of a plurality of participator computers which are
otherwise independent of each other, the method including:

_____affording some of the information to a first of the participator computers via the
Internet network, responsive to an authenticated first user identity; and

_____affording some of the information to a second of the participator computers via
the Internet network, responsive to an authenticated second user identity;

responsive to ~~at least one of the plurality~~ first of the participator computers
communicating a pointer in real time and via the Internet, the pointer producing a pointer-
triggered message on demand, determining whether ~~[[a]] the first of the user identity[[ies]]y~~ is
censored ~~by the corresponding user's stored access rights~~ from content in the pointer-triggered
message;

if the content is censored, disallowing the pointer-triggered message to be
presented at ~~[[the]] an~~ output device of the first of the participator computers ~~corresponding to~~
~~the first of the user identities~~; and

if the content is not censored, allowing the pointer-triggered message to be
presented at the output device ~~of the computer corresponding to the first of the user identities.~~

879-883. (Withdrawn)

884. (Currently amended) A method of communicating via an Internet
network, ~~the method including:~~

~~_____receiving a respective login name and password corresponding to a respective~~
~~user identity, each said user identity corresponding to a respective particular user's stored~~
~~access rights, the receiving being carried out so as to connect a plurality of computers to a~~

~~computer system, wherein each of the plurality of computers is connected to a respective input device and to a respective output device; by using a computer system including a controller computer and a database which serves as a repository of tokens for other programs to access, thereby affording information to each of a plurality of participator computers which are otherwise independent of each other, the method including:~~

~~_____affording some of the information to a first of the participator computers via the Internet network, responsive to an authenticated first user identity; and~~

~~_____affording some of the information to a second of the participator computers via the Internet network, responsive to an authenticated second user identity;~~

~~determining whether at least one of [[a]] the first user identity and [[a]] the second user identity, individually, is censored by the corresponding user's stored access rights, from receiving data comprising a pointer in communications that include at least one of text or ascii, the pointer being a pointer that produces a pointer-triggered message on demand;~~

~~determining whether the first and the second of the user identities are able to form a group; and~~

~~if the first and the second user identities are able to form the group, then forming the group and facilitating receiving the communications that are sent and not censored from one of the participator computers to another of the participator computers for sending the communications, facilitating receiving and presenting the communications that are not censored based on the individual user identity, the receiving being in real time and over the Internet network, and not allowing the data that is censored to be presented at [[the]] an output device corresponding to the user identity that is censored from receiving the data.~~

885. (Currently amended) A method of communicating via an Internet network, ~~the method including:~~

connecting a computer system to a plurality of computers;
receiving a respective login name and password corresponding to a respective user identity from each of the plurality of computers;
determining whether a first of the user identities and a second of the user identities are able to form a group for sending and receiving communications in real time; by using a computer system including a controller computer and a database which serves as a repository of tokens for other programs to access, thereby affording information to each of a plurality of participator computers which are otherwise independent of each other, the method including:
affording some of the information to a first of the participator computers via the Internet network, responsive to an authenticated first user identity; and
affording some of the information to a second of the participator computers via the Internet network, responsive to an authenticated second user identity;
determining whether the first user identity and the second of the user identity are able to form a group to send and to receive communications;
determining whether at least one of the first user identity and the second user identity, individually, is censored from sending a pointer in the communications including at least one of text or ascii, the pointer being a pointer that produces ~~producing~~ a pointer-triggered message on demand; and
if the first and the second user identities are able to form the group, then forming the group and facilitating sending the communications that are not censored from one of the participator computers to another of the participator computers in real time over the Internet network and not facilitating sending a pointer that is censored.
~~sending and receiving the communications that are not censored based on the individual user identity, the receiving being in real time over the Internet network.~~

886-890. (Withdrawn)

891. (Currently amended) A system to communicate via an Internet network, the system including:

~~a plurality of participator computers, each of the plurality of computers being connected to a respective input device and to a respective output device, the plurality of computers being connected, responsive to each of the plurality of computers sending a respective login name and password corresponding to a respective user identity, to a computer system programmed to:~~

~~store a respective particular user's access rights corresponding to each said user identity,~~

~~form a group corresponding to a first of the user identities and a second of the user identities, each member of the group being capable of sending and receiving communications in real time,~~

a computer system including a controller computer and a database which serves as a repository of tokens for other programs to access, thereby affording information to each of a plurality of participator computers which are otherwise independent of each other, the controller computer system in communication with a first of the participator computers responsive to a first authenticated user identity and with a second of the participator computers responsive to a second authenticated user identity, wherein the computers are configured to

determine whether at least one of the first user identity and the second user identity, individually, is censored ~~based on the corresponding user's access rights~~ from receiving, in [[the]] communications, data comprising a pointer, the pointer producing a pointer-triggered message on demand, and

thereafter ~~cause~~ allow the participator computers to receive, in real time via the

Internet network, and present the communications that are not censored, and to not present the data that is censored at ~~[[the]]~~ an output device corresponding to the user identity that is censored from receiving the data, ~~wherein at least some of the communications include data representing at least text or ascii.~~

892. (Currently amended) A system to communicate via an Internet network, the system including:

~~a plurality of computers, each of the plurality of computers being connected to a respective input device and to a respective output device, the plurality of computers being connected, responsive to each of the plurality of computers sending a respective login name and password corresponding to a respective user identity, to a computer system programmed to:~~

~~_____ form a group corresponding to a first of the user identities and a second of the user identities, each member of the group being capable of sending and receiving communications in real time, a computer system including a controller computer and a database which serves as a repository of tokens for other programs to access, thereby affording information to each of a plurality of participator computers which are otherwise independent of each other, the controller computer system in communication with a first of the participator computers responsive to a first authenticated user identity and with a second of the participator computers responsive to a second authenticated user identity, wherein the computers are configured to~~

determine whether at least one of the first user identity and the second user identity, individually, is censored from sending, in ~~[[the]]~~ communications, a pointer that produces a pointer-triggered message on demand, and

thereafter ~~cause~~ allow the participator computers to receive, in real time via the

Internet network, and present the communications that are not censored based on the individual user identity, and to not present the communications that are censored at [[the]] an output device corresponding to the user identity that is censored from the sending from ~~receiving the data, at least some of the communications including data representing at least text or ascii.~~

893. - 954. (Cancelled)

955. (Currently amended) A method communicating via an Internet network, ~~the~~ method including:

~~connecting a plurality of computers to a computer system, each of the plurality of computers connected responsive to receiving at the computer system information indicative of a respective login name and password corresponding to a respective user identity; by using a computer system including a controller computer and a database which serves as a repository of tokens for other programs to access, thereby affording information to each of a plurality of participator computers which are otherwise independent of each other, the method including:~~
affording some of the information to a first of the participator computers via the Internet network, responsive to an authenticated first user identity, and affording some of the information to a second of the participator computers via the Internet network, responsive to an authenticated second user identity;

storing a respective particular user's access rights corresponding to each said user identity;

determining whether the first user identity and the second user identity a first of the user identities and a second of the user identities are able to form a group to send and to receive communications ~~for sending and for receiving communications in real time;~~

determining whether at least one of the first user identity and the second user identity, individually, is censored by the corresponding user's stored access rights from receiving data in the communications, the data presenting at least one of a pointer, video, audio, graphic, or multimedia; and

if the first and the second user identities are able to form the group, forming the group and facilitating receiving the communications, including receiving at least some of the communications with the data that is not censored, that are sent from one of the participator computers to another of the participator computers ~~for sending the communications, and facilitating receiving the communications that are not censored based on the individual user identity, wherein the receiving is in real time via the Internet network, and facilitating not allowing the data that is censored by the corresponding user's stored access rights to be presented at an output device of the participator computer corresponding to the user identity that is censored~~ receiving the communications that are censored.

956. (Currently amended) A method communicating via an Internet network, ~~the method including:~~

~~connecting a plurality of computers to a computer system, each of the plurality of computers connected responsive to receiving at the computer system information indicative of a respective login name and password corresponding to a respective user identity;~~ by using a computer system including a controller computer and a database which serves as a repository of tokens for other programs to access, thereby affording information to each of a plurality of participator computers which are otherwise independent of each other, the method including:
affording some of the information to a first of the participator computers via the Internet network, responsive to an authenticated first user identity, and affording some of the information to a second of the participator computers via the Internet network, responsive to an

authenticated second user identity;

~~storing a respective particular user's access rights corresponding to each said~~
~~user identity;~~

determining whether the first user identity and the second user identity ~~a first of~~
~~the user identities and a second of the user identities~~ are able to form a group to send and to
receive data in ~~for sending and for receiving~~ communications in real time by determining
whether at least one of the first user identity and the second user identity, individually, is
censored ~~by the corresponding user's stored access rights~~ from receiving the data in the
communications, the data presenting at least one of a pointer, video, audio, graphic, or
multimedia; and

if the first and the second user identities are determined to be able to form the
group, forming the group and facilitating receiving the communications, including receiving at
least some of the communications with the data that is not censored, that are sent from one of
the participator computers to another of the participator computers ~~for sending the~~
~~communications, and facilitating receiving the communications~~ in real time via the Internet
network; and

if the first and the second user identities are determined to not be able to form
the group with respect to receiving the data that is censored, not forming the group.

957. (Currently amended) A method communicating via an Internet network,
~~the method including:~~

~~connecting a plurality of computers to a computer system, each of the plurality of~~
~~computers connected responsive to receiving at the computer system information indicative of a~~
~~respective login name and password corresponding to a respective user identity; by using a~~
computer system including a controller computer and a database which serves as a repository

of tokens for other programs to access, thereby affording information to each of a plurality of participator computers which are otherwise independent of each other, the method including:

affording some of the information to a first of the participator computers via the Internet network, responsive to an authenticated first user identity, and affording some of the information to a second of the participator computers via the Internet network, responsive to an authenticated second user identity;

storing a respective particular user's access rights corresponding to each said user identity;

determining whether the first user identity and the second user identity a first of the user identities and a second of the user identities are able to form a group to send and to receive communications; for sending and for receiving communications in real time;

determining whether at least one of the first user identity and the second user identity, individually, is censored from sending in the communications at least one of a pointer, video, audio, graphic, or multimedia; and determining whether at least one of the first user identity and the second user identity, individually, is censored by the corresponding user's stored access rights from sending data in the communications, the data presenting at least one of a pointer, video, audio, graphic, or multimedia; and

if the first and the second user identities are able to form the group, forming the group and facilitating sending the communications, including sending at least some of the communications with the data that is not censored, from one of the participator computers to another of the participator computers, wherein the sending is in real time via the Internet network, and not allowing sending the data that is censored by the corresponding user's stored access rights facilitating sending the communications that are not censored based on the individual user identity, and facilitating receiving the communications that are sent, the receiving in real time via the Internet network.

958. (Currently amended) A method communicating via an Internet network,
~~the method including:~~

~~connecting a plurality of computers to a computer system, each of the plurality of
computers connected responsive to receiving at the computer system information indicative of a
respective login name and password corresponding to a respective user identity; by using a
computer system including a controller computer and a database which serves as a repository
of tokens for other programs to access, thereby affording information to each of a plurality of
participator computers which are otherwise independent of each other, the method including:~~

affording some of the information to a first of the participator computers via the
Internet network, responsive to an authenticated first user identity, and affording some of the
information to a second of the participator computers via the Internet network, responsive to an
authenticated second user identity;

determining whether a first of the user identities and a second of the user
identities are able to form a group to send and to receive ~~for sending and for receiving~~
communications in real time by determining whether at least one of the first user identity and
the second user identity, individually, is censored from sending data in the communications, the
data presenting at least one of a pointer, video, audio, graphic, or multimedia; and

if the first and the second user identities are determined to be able to form the
group, forming the group ~~for sending the communications,~~ and facilitating ~~receiving the sent~~
sending the communications, including sending at least some of the communications with the
data that is not censored, from one of the participator computers to another of the participator
computers in real time via the Internet network; and

if the first and the second user identities are determined to not be able to form
the group with respect to sending the data that is censored, not forming the group.

959. (Currently amended) A system to communicate via an Internet network, the system including:

~~a plurality of computers connected to a computer system, each of the plurality of computers being connected responsive to receipt at the computer system of information indicative of a respective login name and password corresponding to a respective user identity, the computer system being programmed to:~~ a computer system including a controller computer and a database which serves as a repository of tokens for other programs to access, thereby affording information to each of a plurality of participator computers which are otherwise independent of each other, the controller computer system in communication with a first of the participator computers responsive to a first authenticated user identity and with a second of the participator computers responsive to a second authenticated user identity, wherein the computers are arranged so as to

store a respective particular user's access rights corresponding to each said user identity,[[;]]

~~determine whether a first of the user identities and a second of the user identities~~ the first user identity and the second user identity are able to form a group capable of sending and receiving to send and to receive communications, in real time;

determine whether at least one of the first user identity and the second user identity, individually, is censored by ~~said~~ the corresponding user's stored access rights from receiving data in the communications, the data presenting at least one of a pointer, video, audio, graphic, or multimedia, and

if the first and the second user identities are able to form the group, form the group and facilitate receiving the communications that are sent and not censored from one of the participator computers to another of the participator computers, wherein the receiving is in

real time via the Internet network, and

not allow the data that is censored by the corresponding user's stored access rights to be presented at an output device of the participator computer corresponding to the user identity that is censored~~for sending the communications, and~~

~~cause the plurality of computers in the group to receive, in real time via the Internet network, the communications that are not censored based on the individual user identity, and~~

~~————— cause the plurality of computers in the group to not receive the communications that are censored based on the individual user identity.~~

960. (Currently amended) A system to communicate via an Internet network, the system including:

~~a plurality of computers connected to a computer system, each of the plurality of computers being connected responsive to receipt at the computer system of information indicative of a respective login name and password corresponding to a respective user identity, the computer system being programmed to:~~

~~————— store a respective particular user's access rights corresponding to each said user identity, a computer system including a controller computer and a database which serves as a repository of tokens for other programs to access, thereby affording information to each of a plurality of participator computers which are otherwise independent of each other, the controller computer system in communication with a first of the participator computers responsive to a first authenticated user identity and with a second of the participator computers responsive to a second authenticated user identity, wherein the computers are arranged so as to~~

determine whether the first user identity and the second user identity ~~a first of the~~

~~user identities and a second of the user identities are able to form a group capable of sending and receiving~~ to send and to receive communications in real time by determining whether at least one of the first user identity and the second user identity, individually, is censored ~~by the corresponding user's stored access rights from receiving~~ data in the communications, the data presenting at least one of a pointer, video, audio, graphic, or multimedia,[[;]] and

if the first and the second user identities are determined to be able to form the group, form the group and facilitate receiving the communications from one of the participator computers to another of the participator computers ~~cause the group to be formed to send the communications, and cause the plurality of computers in the group to receive~~, in real time via the Internet network, and

if the first and the second user identities are determined to not be able to form the group with respect to receiving the data that is censored, not form the group ~~the communications that are not censored.~~

961. (Currently amended) A system to communicate via an Internet network, the system including:

~~a plurality of computers connected to a computer system, each of the plurality of computers being connected responsive to receipt at the computer system of information indicative of a respective login name and password corresponding to a respective user identity, the computer system being programmed to:~~

~~determine whether a first of the user identities and a second of the user identities are able to form a group for sending and for receiving communications in real time;~~ a computer system including a controller computer and a database which serves as a repository of tokens for other programs to access, thereby affording information to each of a plurality of participator computers which are otherwise independent of each other, the controller computer system in

communication with a first of the participator computers responsive to a first authenticated user identity and with a second of the participator computers responsive to a second authenticated user identity, wherein the computers are arranged so as to

store a respective particular user's access rights corresponding to each said user identity,

determine whether the first user identity and the second user identity are able to form a group to send and to receive communications,

~~determine whether at least one of the first user identity and the second user identity, individually, is censored from sending in the communications at least one of a pointer, video, audio, graphic, or multimedia; and~~

determine whether at least one of the first user identity and the second user identity, individually, is censored by the corresponding user's stored access rights from sending data in the communications, the data including at least one of a pointer, video, audio, graphic, or multimedia, and

if the first and the second user identities are able to form the group, and facilitate sending the communications that are not censored from one of the participator computers to another of the participator computers, wherein the sending is in real time via the Internet network, and not allow sending the data that is censored by the corresponding user's stored access rights~~cause the group to be formed and the communications that are not censored based on the individual user identity to be sent, and cause the communications that are sent to be received in real time via the Internet network.~~

962. (Currently amended) A system to communicate via an Internet network, the system including:

~~— a plurality of computers connected to a computer system, each of the plurality of~~

~~computers being connected responsive to receipt at the computer system of information~~
~~indicative of a respective login name and password corresponding to a respective user identity,~~
~~the computer system being programmed to:~~ a computer system including a controller computer
and a database which serves as a repository of tokens for other programs to access, thereby
affording information to each of a plurality of participator computers which are otherwise
independent of each other, the controller computer system in communication with a first of the
participator computers responsive to a first authenticated user identity and with a second of the
participator computers responsive to a second authenticated user identity, wherein the
computers are arranged so as to

determine whether a first of the user identities and a second of the user identities
are able to form a group to send and to receive ~~capable of sending and receiving~~
communications in real time by determining whether at least one of the first user identity and
the second user identity, individually, is censored from sending data in the communications, the
data presenting at least one of a pointer, video, audio, graphic, or multimedia,[[;]] and

if the first and the second user identities are determined to be able to form the
group, form the group and facilitate sending the communications from one of the participator
computers to another of the participator computers, wherein the sending is in real time via the
Internet network, and ~~cause the group to be formed to send and receive the communications~~
~~between members of the group, wherein the communications are received in real time via the~~
~~Internet network~~

if the first and the second user identities are determined to not be able to form
the group with respect to sending the data that is censored, not form the group.

973. (Currently amended) A method communicating via an Internet network by using a computer system including a controller computer that is an Internet service provider computer and a database which serves as a repository of tokens for other programs to access, thereby affording information to each of a plurality of participator computers which are otherwise independent of each other, the method including:

affording some of the information to a first of the participator computers via the Internet network, responsive to an authenticated first user identity, and affording some of the information to a second of the participator computers via the Internet network, responsive to an authenticated second user identity; and

storing a respective particular user's access rights corresponding to each said user identity;

determining whether the first user identity and the second user identity are able to form a group to send and to receive communications; and

determining, based on the access rights of the first user identity, whether the first user identity is censored from receiving content in the communications;

if the user identities are determined to be able to form the group, forming the group and facilitating receiving the communications that are sent and not censored from the second participator computer to the first participator computer, wherein the receiving is in real time and via the Internet network, and

if the first user identity is censored, not allowing the content that is censored to be presented from the second participator computer to a user of the first participator computer, the method including:

~~connecting a plurality of computers to a computer system, each of the plurality of computers connected responsive to receiving at the computer system information indicative of a respective login name and password corresponding to a respective user identity, each said user~~

~~identity corresponding to a respective particular user's stored access rights;~~
~~_____ determining whether a first of the user identities and a second of the user~~
~~identities are able to form a group for sending and for receiving communications in real time;~~
~~determining whether at least one of the first user identity and the second user~~
~~identity, individually, is censored by the corresponding user's stored access rights from~~
~~receiving in the communications at least one of a pointer, video, audio, graphic, or multimedia;~~
~~and~~
~~_____ if the first and the second user identities are able to form the group, forming the~~
~~group for sending the communications, and facilitating receiving the communications that are~~
~~not censored based on the individual user identity, wherein the receiving is in real time via the~~
~~Internet network, and facilitating not receiving the communications that are censored.~~

974. (Currently amended) A method communicating via an Internet network
by using a computer system including a controller computer that is an Internet service provider
computer and a database which serves as a repository of tokens for other programs to access,
thereby affording information to each of a plurality of participator computers which are
otherwise independent of each other, the method including:

_____ affording some of the information to a first of the participator computers via the Internet
network, responsive to an authenticated first user identity, and affording some of the
information to a second of the participator computers via the Internet network, responsive to an
authenticated second user identity; and

storing a respective particular user's access rights corresponding to each said user
identity;

_____ determining whether the first user identity and the second user identity are able to form
a group to send and to receive communications; and

determining, based on the access rights of the first user identity, whether the first user identity is censored from sending content in the communications;

if the user identities are determined to be able to form the group, forming the group and facilitating sending the communications that are not censored from the first participator computer to the second participator computer, wherein the sending is in real time and via the Internet network, and

if the first user identity is censored, not allowing the content that is censored to be sent from the first participator computer the second participator computer, the method including:

connecting a plurality of computers to a computer system, each of the plurality of computers connected responsive to receiving at the computer system information indicative of a respective login name and password corresponding to a respective user identity, each said user identity corresponding to a respective particular user's stored access rights;

determining whether a first of the user identities and a second of the user identities are able to form a group for sending and for receiving communications in real time by determining whether at least one of the first user identity and the second user identity, individually, is censored by the corresponding user's stored access rights from receiving in the communications at least one of a pointer, video, audio, graphic, or multimedia; and

if the first and the second user identities are able to form the group, forming the group for sending the communications, and facilitating receiving the communications in real time via the Internet network.

975. (Currently amended) A method communicating via an Internet network by using a computer system including a controller computer that is an Internet service provider computer and a database which serves as a repository of tokens for other programs to access, thereby affording information to each of a plurality of participator computers which are

otherwise independent of each other, the method including:

affording some of the information to a first of the participator computers via the Internet network, responsive to an authenticated first user identity, and affording some of the information to a second of the participator computers via the Internet network, responsive to an authenticated second user identity; and

determining whether the first user identity and the second user identity are able to form a group to send and to receive communications; and

determining whether the first user identity is censored from data in the communications, the data presenting at least one of an Internet URL, video, audio, a graphic, or multimedia; and

if the user identities are determined to be able to form the group, forming the group and facilitating receiving the communications that are sent and not censored from the second participator computer to the first participator computer, wherein the receiving is in real time and via the Internet network, and

if the first user identity is censored, not allowing the data that is censored to be presented from the second participator computer to a user of the first participator computer, the method including:

~~connecting a plurality of computers to a computer system, each of the plurality of computers connected responsive to receiving at the computer system information indicative of a respective login name and password corresponding to a respective user identity;~~

~~_____ determining whether a first of the user identities and a second of the user identities are able to form a group for sending and for receiving communications in real time;~~

~~_____ determining whether at least one of the first user identity and the second user identity, individually, is censored from sending in the communications at least one of a pointer, video, audio, graphic, or multimedia; and~~

~~_____ if the first and the second user identities are able to form the group, forming the~~

~~group, facilitating sending the communications that are not censored based on the individual user identity, and facilitating receiving the communications that are sent, the receiving in real time via the Internet network.~~

976. (Currently amended) A method communicating via an Internet network by using a computer system including a controller computer that is an Internet service provider computer and a database which serves as a repository of tokens for other programs to access, thereby affording information to each of a plurality of participator computers which are otherwise independent of each other, the method including:

affording some of the information to a first of the participator computers via the Internet network, responsive to an authenticated first user identity, and affording some of the information to a second of the participator computers via the Internet network, responsive to an authenticated second user identity; and

determining whether the first user identity and the second user identity are able to form a group to send and to receive communications; and

determining whether the first user identity is censored from sending data in the communications, the data presenting at least one of an Internet URL, video, audio, a graphic, or multimedia; and

if the user identities are determined to be able to form the group, forming the group and facilitating sending the communications that are not censored from the first participator computer to the second participator computer, wherein the sending is in real time and via the Internet network, and

if the first user identity is censored, not allowing sending the data that is censored from the first participator computer to the second participator computer , ~~the method including:~~

~~connecting a plurality of computers to a computer system, each of the plurality of~~

~~computers connected responsive to receiving at the computer system information indicative of a respective login name and password corresponding to a respective user identity;~~

~~determining whether a first of the user identities and a second of the user identities are able to form a group for sending and for receiving communications in real time by determining whether at least one of the first user identity and the second user identity, individually, is censored from sending in the communications at least one of a pointer, video, audio, graphic, or multimedia; and~~

~~_____ if the first and the second user identities are able to form the group, forming the group for sending the communications, and facilitating receiving the sent communications in real time via the Internet network.~~

977. (Withdrawn)

978. (Currently amended) A system to communicate via an Internet network, the system including:

_____ a computer system including a controller computer that is an Internet service provider computer and a database which serves as a repository of tokens for other programs to access, thereby affording information to each of a plurality of participator computers which are otherwise independent of each other, the controller computer system in communication with a first of the participator computers responsive to a first authenticated user identity and with a second of the participator computers responsive to a second authenticated user identity, wherein the computers are arranged so as to

_____ determine whether the first user identity is censored from receiving content in the communications,

_____ if the user identities are determined to be able to form the group, form the group and

facilitate receiving the communications that are sent and not censored from the second participator computer to the first participator computer, wherein the receiving is in real time and via the Internet network, and

_____ if the first user identity is censored, not allow the content that is censored to be presented from the second participator computer at the first participator computer a plurality of computers connected to a computer system, each of the plurality of computers being connected responsive to receipt at the computer system of information indicative of a respective login name and password corresponding to a respective user identity, the computer system being programmed to:

store a respective particular user's access rights corresponding to each said user identity,

_____ determine whether a first of the user identities and a second of the user identities are able to form a group capable of sending and receiving communications in real time;

_____ determine whether at least one of the first user identity and the second user identity, individually, is censored by the corresponding user's stored access rights from receiving in the communications at least one of a pointer, video, audio, graphic, or multimedia, and

_____ if the first and the second user identities are able to form the group, form the group for sending the communications, and

cause the plurality of computers in the group to receive, in real time via the Internet network, the communications that are not censored based on the individual user identity, and

_____ cause the plurality of computers in the group to not receive the communications that are censored based on the individual user identity.

979. (Currently amended) A system to communicate via an Internet network,
the system including:

a computer system including a controller computer that is an Internet service provider
computer and a database which serves as a repository of tokens for other programs to access,
thereby affording information to each of a plurality of participator computers which are
otherwise independent of each other, the controller computer system in communication with a
first of the participator computers responsive to a first authenticated user identity and with a
second of the participator computers responsive to a second authenticated user identity,
wherein the computers are arranged so as to

determine whether the first user identity and the second user identity are able to form a
group to send and to receive communications, and

determine whether the first user identity is censored from sending content in the
communications,

if the user identities are determined to be able to form the group, form the group and
facilitate sending the communications that are not censored from the first participator computer
to the second participator computer, wherein the sending is in real time and via the Internet
network, and

if the first user identity is censored, not allow the content that is censored to be sent
from the first participator computer the second participator computer a plurality of computers
connected to a computer system, each of the plurality of computers being connected
responsive to receipt at the computer system of information indicative of a respective login
name and password corresponding to a respective user identity, the computer system being
programmed to:

store a respective particular user's access rights for each corresponding user
identity,

~~determine whether a first of the user identities and a second of the user identities are able to form a group capable of sending and receiving communications in real time by determining whether at least one of the first user identity and the second user identity, individually, is censored by the corresponding user's stored access rights from receiving in the communications at least one of a pointer, video, audio, graphic, or multimedia; and _____ if the first and the second user identities are able to form the group, cause the group to be formed to send the communications, and cause the plurality of computers in the group to receive, in real time via the Internet network, the communications that are not censored based on the individual user identity so as to carry out the corresponding user's stored access rights.~~

980. (Currently amended) A system to communicate via an Internet network, the system including:

a computer system including a controller computer that is an Internet service provider computer and a database which serves as a repository of tokens for other programs to access, thereby affording information to each of a plurality of participator computers which are otherwise independent of each other, the controller computer system in communication with a first of the participator computers responsive to a first authenticated user identity and with a second of the participator computers responsive to a second authenticated user identity, wherein the computers are arranged so as to

determine whether the first user identity and the second user identity are able to form a group to send and to receive communications, and

determine whether the first user identity is censored from sending content in the communications,

if the user identities are determined to be able to form the group, form the group and

facilitate sending the communications that are not censored from the first participator computer to the second participator computer, wherein the sending is in real time and via the Internet network, and

if the first user identity is censored, not allow the content that is censored to be sent from the first participator computer the second participator computer

~~a plurality of computers connected to a computer system, each of the plurality of computers being connected responsive to receipt at the computer system of information indicative of a respective login name and password corresponding to a respective user identity, the computer system being programmed to:~~

~~store a respective particular user's access rights for each corresponding user identity;~~

~~_____ determine whether a first of the user identities and a second of the user identities are able to form a group for sending and for receiving communications in real time;~~

~~_____ determine whether at least one of the first user identity and the second user identity, individually, is censored from sending in the communications at least one of a pointer, video, audio, graphic, or multimedia; and~~

~~_____ if the first and the second user identities are able to form the group, cause the group to be formed and the communications that are not censored based on the individual user identity to be sent, and cause the sent communications to be received in real time via the Internet network so as to carry out the corresponding user's stored access rights.~~

981. (Currently amended) A system to communicate via an Internet network, the system including:

a computer system including a controller computer that is an Internet service provider computer and a database which serves as a repository of tokens for other programs to access,

thereby affording information to each of a plurality of participator computers which are
otherwise independent of each other, the controller computer system in communication with a
first of the participator computers responsive to a first authenticated user identity and with a
second of the participator computers responsive to a second authenticated user identity,
wherein the computers are arranged so as to
determine whether a first of the user identities and a second of the user identities are
able to form a group to send and to receive communications in real time by determining
whether at least one of the first user identity and the second user identity, individually, is
censored from data in the communications, the data presenting at least one of a pointer, video,
audio, graphic, or multimedia, and
if the first and the second user identities are determined to be able to form the group,
form the group and facilitate receiving the communications that are sent and include said data
that is not censored from one of the participator computers to another of the participator
computers, wherein the receiving is in real time via the Internet network, and
if the first and the second user identities are determined to not be able to form the
group, not form the group

~~a plurality of computers connected to a computer system, each of the plurality of~~
~~computers being connected responsive to receipt at the computer system of information~~
~~indicative of a respective login name and password corresponding to a respective user identity,~~
~~the computer system being programmed to:~~

~~_____determine whether a first of the user identities and a second of the user identities~~
~~are able to form a group capable of sending and receiving communications in real time by~~
~~determining whether at least one of the first user identity and the second user identity,~~
~~individually, is censored from sending in the communications at least one of a pointer, video,~~
~~audio, graphic, or multimedia; and~~

~~_____ if the first and the second user identities are able to form the group, cause the group to be formed to send and receive the communications between members of the group, wherein the communications are received in real time via the Internet network.~~

982. (Currently amended) ~~A method of communication over an Internet network, the method including:~~

~~connecting a computer system with a plurality of computers;~~

~~receiving information indicative of a respective login name and password corresponding to a first user identity from a first of the plurality of computers, the first user identity corresponding to a particular user's stored access rights;~~

~~receiving information indicative of a login name and a password corresponding to a second user identity from a second of the plurality of computers, the second user identity corresponding to a particular user's stored access rights; and~~

A system to communicate via an Internet network, the system including:

_____ a computer system including a controller computer that is an Internet service provider computer and a database which serves as a repository of tokens for other programs to access, thereby affording information to each of a plurality of participator computers which are otherwise independent of each other, the controller computer system in communication with a first of the participator computers responsive to a first authenticated user identity and with a second of the participator computers responsive to a second authenticated user identity, wherein the computers are configured so as to

allow[[ing]] the first user identity and the second user identity to send communications and to receive communications sent by another user identity on at least one of a plurality of channels, wherein at least some of the communications are received in real time via the Internet network, the computer system being programmed to determine except that if

~~whether~~ at least one of the user identities, individually, is censored from data in one of the channels, the data ~~[[re]]~~presenting at least one of a pointer, video, audio, graphic, or multimedia, ~~such that the data that is censored by the corresponding user's stored access rights is not presented by the~~ participator computer corresponding to the user identity that is censored from the data computer.

983. (Currently amended) The method of claim 980, wherein ~~the data includes a pointer that produces a pointer-triggered message on demand~~ each said user identity in the group is associated with a respective particular user's stored access rights, which determine whether the corresponding said user identity is censored from receiving, in the communications, data presenting at least one of a pointer, video, audio, a graphic, or multimedia.

984. (Previously presented) The method of claim 980, further including:
determining whether the first user identity is censored from the data by
determining whether a parameter corresponding to the first user identity has been determined by a user corresponding to an other of the user identities.

985. (Currently amended) ~~A method of communicating via an Internet network, the method including:~~ A system to communicate via an Internet network, the system including:
a computer system including a controller computer that is an Internet service provider computer and a database which serves as a repository of tokens for other programs to access, thereby affording information to each of a plurality of participator computers which are otherwise independent of each other, the controller computer system in communication with a first of the participator computers responsive to a first authenticated user identity and with a second of the participator computers responsive to a second authenticated user identity,

wherein the computers are configured so as to

censor communications based on:

whether the first user identity and the second of the user identity are able to form a group to send and to receive communications, and

whether the first user identity, is censored from sending data in the communications, the data presenting at least one of a pointer, video, audio, a graphic, or multimedia; and

if the user identities are able to form the group, form the group and facilitate receiving the communications that are sent and not censored from the first participator computer to the second participator computer, wherein the sending is in real time and via the Internet network;

if the first user identity is censored, not allowing the data that is censored to be sent from the first participator computer to the second participator computer

connecting a computer system with a plurality of computers;

receiving, from each of the plurality of computers, a respective user identity associated with a login name and a password, each said user identity corresponding to a respective particular user's stored access rights;

determining whether at least one of a first of the user identities is censored by the corresponding user's stored access rights from graphical multimedia; and

allowing at least a first of the user identities and a second of the user identities to form a group; and

facilitating sending and receiving the communications in real time, via the Internet network, between the computers in the group, wherein at least some of the communications include data representing at least one of a pointer, video, audio, a graphic, multimedia, or at least one of text or ascii, and not allowing the graphical multimedia that is

~~censored to be presented at a corresponding one of the computers.~~

986. (Currently amended) ~~A method of communicating via an Internet network~~ A system to communicate via an Internet network, the system including:

a computer system including a controller computer that is an Internet service provider computer and a database which serves as a repository of tokens for other programs to access, thereby affording information to each of a plurality of participator computers which are otherwise independent of each other, the controller computer system in communication with a first of the participator computers responsive to a first authenticated user identity and with a second of the participator computers responsive to a second authenticated user identity, wherein the computers are configured so as to

censor communications based on:

whether the first user identity and the second of the user identity are able to form a group to send and to receive communications, and

whether the first user identity, is censored from receiving data in the communications, the data presenting at least one of a pointer, video, audio, a graphic, or multimedia; and

if the user identities are able to form the group, form the group and facilitate receiving the communications that are sent and not censored from the second participator computer to the first participator computer, wherein the receiving is in real time and via the Internet network;

if the first user identity is censored, not allowing the data that is censored to be presented from the second participator computer at an output device of the first participator computer, ~~the method including:~~

~~connecting a computer system with a plurality of computers;~~

_____ receiving, from each of the plurality of computers, a respective user identity associated with a login name and a password, each said user identity associated with a respective particular user's stored access rights;

_____ determining whether at least one of a first of the user identities is censored by said user's stored access rights from graphical data; and

_____ allowing at least a first of the user identities and a second of the user identities to form a group; and

_____ facilitating sending and receiving the communications in real time, via the Internet network, between the computers in the group, wherein at least some of the communications include data representing at least one of a pointer, video, audio, a graphic, multimedia, or at least one of text or ascii, and not allowing the graphical data that is censored to be presented at a corresponding one of the computers.

987. (Currently amended) A system to communicate via an Internet network, the system including:

_____ a computer system including a controller computer that is an Internet service provider computer and a database which serves as a repository of tokens for other programs to access, thereby affording information to each of a plurality of participator computers which are otherwise independent of each other, the controller computer system in communication with a first of the participator computers responsive to a first authenticated user identity and with a second of the participator computers responsive to a second authenticated user identity, wherein the computers are configured so as to

_____ store a respective particular user's access rights corresponding to each said user identity, and

_____ determine whether the first user identity and the second of the user identity are able to

form a group to send and to receive communications, and

determine whether the first user identity, is censored from sending data in the communications, the data presenting at least one of a pointer, video, audio, a graphic, or multimedia, such that

if the user identities are determined to be able to form the group, form the group and facilitate receiving the communications that are sent and not censored from the first participator computer to the second participator computer, wherein the sending is in real time and via the Internet network, and

if the first user identity is censored, not send of the data that is censored from the first participator computer to the second participator computer

~~A method of communicating via an Internet network, the method including:~~

~~connecting a computer system with a plurality of computers;~~

~~receiving, from each of the plurality of computers, a respective user identity associated with a login name and a password, each said user identity associated with a respective particular user's stored access rights;~~

~~determining whether at least one of a first of the user identities is censored by the respective user's stored access rights from data representing graphical multimedia; and~~

~~allowing at least a first of the user identities and a second of the user identities to form a group; and~~

~~allowing sending and receiving the communications in real time, via the Internet network, between the computers in the group, wherein at least some of the communications include data representing at least one of a pointer, video, audio, a graphic, multimedia, or at least one of text or ascii, and not allowing the data representing graphical multimedia that is censored to be presented at a corresponding one of the computers.~~

988. (Currently amended) A system to communicate via an Internet network,

the system including:

_____ a computer system including a controller computer that is an Internet service provider computer and a database which serves as a repository of tokens for other programs to access, thereby affording information to each of a plurality of participator computers which are otherwise independent of each other, the controller computer system in communication with a first of the participator computers responsive to a first authenticated user identity and with a second of the participator computers responsive to a second authenticated user identity, wherein the computers are configured so as to

store a respective particular user's access rights corresponding to each said user identity, and

_____ determine whether the first user identity and the second user identity are able to form a group to send and to receive communications, and

determine whether the first user identity is censored from sending data in the communications, the data presenting at least one of an Internet URL, video, audio, a graphic, or multimedia, such that

if the user identities are determined to be able to form the group, forming the group and facilitating sending the communications that are not censored from the first participator computer to the second participator computer, wherein the sending is in real time and via the Internet network, and

if the first user identity is censored, not allowing sending the data that is censored from the first participator computer to the second participator computer

A method of communicating via an Internet network, the method including:

connecting a computer system with a plurality of computers;

_____ receiving, from each of the plurality of computers, a respective user identity

~~associated with a login name and a password, each said user identity associated with a
respective particular user's stored access rights;~~

~~_____ determining whether at least one of a first of the user identities is censored by
the corresponding user's stored access rights from graphical data; and~~

~~_____ allowing at least a first of the user identities and a second of the user identities to
form a group; and~~

~~allowing sending and receiving the communications in real time, via the Internet
network, between the computers in the group, wherein at least some of the communications
include data representing at least one of a pointer, video, audio, a graphic, multimedia, or at
least one of text or ascii, and not allowing the graphical data that is censored to be presented at
a corresponding one of the computers.~~

989-995. (Withdrawn)